

PRODUCT INFORMATION PACKET

Model No: 5K49PN4088X
Catalog No: K1415
1.5,1725,DP,56H,3/60/200-230/460
Fan and Blower



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.
©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: 5K49PN4088X, Catalog No:K1415 1.5,1725,DP,56H,3/60/200-230/460

Nameplate Specifications

Output HP	1.5 Hp	Output KW	1.1 kW
Frequency	60 Hz	Voltage	200-230/460 V
Current	5.1-5.2,2.6 A	Speed	1725 rpm
Service Factor	1.15	Phase	3
Efficiency	79.6 %	Duty	Continuous
Insulation Class	B	Design Code	B
KVA Code	M	Frame	56H
Enclosure	Drip Proof	Overload Protector	AUTO
Ambient Temperature	40 °C	Drive End Bearing Size	6205
Opp Drive End Bearing Size	6203	UL	Recognized
CSA	Yes	CE	N

Technical Specifications

Electrical Type	Three Phase	Starting Method	N/R
Poles	4	Rotation	Counterclockwise/Clockwise
Mounting	Resilient Base	Motor Orientation	ANY
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Overall Length	12.01 in
Frame Length	7.68 in	Shaft Diameter	0.63 in
Shaft Extension	1.88 in	Thru-bolts Extension	0
Outline Drawing	52A109604P2	Connection Diagram	113A423


This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/08/2018

THIRD ANGLE PROJECTION



REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
1	ADDED P2	03/29/94	M.A.M.
2	CHG TO RBC FORMAT PER ISO5-11777	03/21/06	SUDHA



2	1	P
K-KH	K-KH	TYPE
49	48	GE SIZE
56H	56H	NEMA FR
12.01	12.76	C
10.01	10.76	L+M
7.68	8.43	SHELL MIN.
.62	.62	ZA

*W IS A VARIABLE CLEARANCE DUE TO VARIATIONS IN PARTS AND ASSEMBLY



REGAL-BELOTT CORPORATION


OUTLINE

GENERAL PURPOSE MOTOR - DRIP PROOF - BALL BEARING
RESILIENT BASE - EXTENDED CLAMP SCREWS

SIGNATURES		DATE
MODEL	M.A.MARKS	03/29/94
DETAIL		
CHECKED		
ENGRG		
MFG		
QUALITY		
ISSUED	M.A.MARKS	03/29/94
FOR ADDITIONAL INFO REFER TO:		
APPLIED PRACTICES		
DIMENSIONS ARE IN INCHES		
MATERIAL	SOLID MODEL: 52A109604	

TITLE	SCALE	REF. No.	SHEET
GENERAL PURPOSE MOTOR - DRIP PROOF - BALL BEARING RESILIENT BASE - EXTENDED CLAMP SCREWS	0.250		1 of 1
SIZE DRAWING A			
REV 2			


REV.	DESCRIPTION	DATE	APPROVED
7	LO VOLTAGE: "T8 RED" WAS "T3 RED"	09/25/92	BLJ
8	LABEL WAS 185178	04/04/95	M.A.M.
9	CHG TO RBC FORMAT PER IS05-1777	06/13/06	SUDHA



This document is the property of REGAL-BELOIT CORPORATION ("RBC") including its subsidiaries and divisions and contains proprietary information of RBC. This document is loaned on the express condition that neither the recipient nor any other person shall be permitted to disclose or disseminate the information contained herein without the express written consent of RBC. This document shall be returned to RBC upon its request. This document may be subject to certain restrictions under U.S. export control laws and regulations.

113A423 9

TYPE K - DUAL VOLTAGE - THREE PHASE -
I2 LEAD WDG. - I2 LEADS OUT - THERMAL PROTECTION



NOTE #1 - TO REVERSE ROTATION, INTERCHANGE THE EXTERNAL CONNECTIONS TO ANY TWO LINE LEADS.

LABEL - NP185178AA

FOR ADDITIONAL INFO REFER TO:

APPLIED PRACTICES	SIGNATURES	DATE
DIMENSIONS ARE IN INCHES	G.A.HILLSMIER	01/05/56
TOLERANCE ON: 1 PL DECIMALS ± 0.1 2 PL DECIMALS ± 0.02 3 PL DECIMALS ± 0.005	CHECKED	
ANGLES ± 1.0	ENGRG	
FRACTIONS ±	MF-G	
FINISH	QUALITY	
	ISSUED	05/12/92
	B.L.J.	

REGAL-BELOIT CORPORATION

DIAGRAM - CONNECTION
TYPE K MOTORS

MODEL	DATE
G.A.HILLSMIER	01/05/56

SCALE: 1.000 REF. No. .

SIZE: DRAWING A

113A423 9

SHEET 1 of 1