

PRODUCT INFORMATION PACKET

Model No: 5KH36JNA769
Catalog No: H905
1/2,1725,DP,56Z,1/60/115
Open Drip Proof (ODP)



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.
©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: 5KH36JNA769, Catalog No:H905 1/2,1725,DP,56Z,1/60/115


Nameplate Specifications

Output HP	1/2 Hp	Output KW	0.37 kW
Frequency	60 Hz	Voltage	115 V
Current	8.1 A	Speed	1725 rpm
Service Factor	1.15	Phase	1
Efficiency	65.4 %	Duty	Continuous
Insulation Class	B	KVA Code	N
Frame	56Z	Enclosure	Drip Proof
Overload Protector	N/R	Ambient Temperature	40 °C
Drive End Bearing Size	6203	Opp Drive End Bearing Size	6203
UL	Recognized	CSA	Yes
CE	N		

Technical Specifications

Electrical Type	Split Phase	Starting Method	SM
Poles	4	Rotation	Counterclockwise/Clockwise
Mounting	Rigid Base	Motor Orientation	HOR
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Overall Length	10.89 in
Frame Length	6.22 in	Shaft Diameter	0.63 in
Shaft Extension	2.25 in		
Outline Drawing	52A109568P1	Connection Diagram	52A105377AA

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/08/2018




THIRD ANGLE PROJECTION

REVISIONS

REV.	DESCRIPTION	DATE	APPROVED
1	UPDATED FORMAT	11/10/05	MAM

EITHER ROTATION - SINGLE VOLTAGE
TYPE KC, OR KH



NOTE #1 - TO REVERSE ROTATION INTERCHANGE BLACK (T5-KH OR J9-KC) AND RED (T8) LEADS.

NOTE #2 - WHEN MORE THAN ONE CAPACITOR IS USED CONNECT IN PARALLEL.

REF. DIAG. - 121A850		SWITCH (C) - 115D958AB	
CONNECTION LABEL - 52X332047			
SIGNATURES			
MODEL	M.D. PAPER	DATE	
DETAIL			
CHECKED			
ENGRG			
MFG			
QUALITY			
ISSUED	M.D. P.		
	06/29/87		
FOR ADDITIONAL INFO REFER TO:			
APPLIED PRACTICES			
DIMENSIONS ARE IN INCHES			
MATERIAL	SOLID MODEL: 52A105377AA		

TITLE	
FME: 30 FRAME SWITCH REDESIGN	
SIZE	DRAWING
A	
SCALE: 1.000	REF. No: .

REGAL-BELOTT CORPORATION	
CONNECTION DIAGRAM	
52A105377AA	
REV	1
SHEET	1 of 1