



MAGNA3



net.grundfos.com/qr/i/99332342

be
think
innovate

GRUNDFOS 



MAGNA3



MAGNA3 D





Max. 95 % RH
Enclosure Type 2



Min./Max.
+14°F – 230°F (-10°C – 110°C)



PN 12: 175 psi/1.2 MPa



Min./Max.
+32°F – +104°F (0°C – 40°C)



< 43 dB(A)





CAUTION: Electrical cord should hang free and must not touch parts that are above 167°F (75°C).










MISE EN GARDE: Le cordon électrique doit être libre de support et ne doit pas toucher les pièces qui sont au-dessus de 167 ° F (75 ° C).





PRECAUCIÓN: El cable eléctrico debe colgar libremente y no debe tocar partes que estén por encima de los 167 ° F (75 ° C).
















8




9









13



14



15





16



115 V

0.28 in. (7 mm) | 0.28 in. (7 mm)
0.79 in. (20 mm) | 1.0 in. (25 mm)

Min. Ø 0.28 in. (7 mm)
Max. Ø 0.56 in. (14 mm)

230 V


0.28 in. (7 mm) | 0.28 in. (7 mm)
0.79 in. (20 mm) | 1.0 in. (25 mm)

Min. Ø 0.28 in. (7 mm)
Max. Ø 0.56 in. (14 mm)


17






115 V




230 V







21



22



1x115 V/230 V $\pm 10\%$
~50/60 Hz $\oplus$





23



Power cycle: Max. 4 starts per 60 minutes

Cycle de puissance: Max. 4 démarrages par 60 minutes

Ciclo de energía: Max. 4 arranques por 60 minutos minutos



24



Further product documentation
Documentation supplémentaire
Información adicional de producto



net.grundfos.com/qr/i/99332342



Installation date: _____

Installer: _____

99341856 1017

ECM: 1219824

GRUNDFOS Holding A/S

Poul Due Jensens Vej 7
DK-8850 Bjerringbro
Tel: +45 87 50 14 00
www.grundfos.com

GRUNDFOS Kansas City

17100 West 118th Terrace
Olathe, Kansas 66061
Phone: (913) 227-3400
Fax: (913) 227-3500

GRUNDFOS Canada

2941 Brighton Road
Oakville, Ontario L6H 6C9 Canada
Phone: +1-905 829 9533
Telefax: +1-905 829 9512

GRUNDFOS Mexico

Boulevard TLC No. 15
Parque Industrial Stiva Aeropuerto
C.P. 66600 Apodaca, N.L. Mexico
Phone: 011-52-81-8144 4000
Fax: 011-52-81-8144 4010

The name Grundfos, the Grundfos logo, and be think innovate are registered trademarks owned by Grundfos Holding A/S or Grundfos A/S, Denmark. All rights reserved worldwide.

GRUNDFOS 