




CR1s

Parts List & Kits

Contents

Parts List
Spare Part Kits
Accessories
Special Tools
Standard Tools
Tools for Torques

Exploded View CRI1s



Pos. No.	Part Description	Model	Stages	No. Used	Comments/Dimensions	B.O.M. Ref. No.	Material No.	Included in kits ?
PARTS LIST								
1	Adapter for Motor Stool				For NEMA, 213/215TC, 7.5 - 10HP	96476208		No
2	Motor Stool		3/2-27	1	NEMA, 56C, 1/3 - 2HP	96436510		No
					NEMA, 182/184TC, 3 - 5HP	96436511		No
					Add Pos. 1, NEMA, 213TC, 7.5 - 10HP	96436511		No
			3/2-19	1	IEC, F85, MG 71, .37 - .55kW	96436506		No
			21-36	1	IEC, F100, MG 80, .75 - 1.1kW	96436507		No
					IEC, F115, MG 90, 1.5 - 2.2kW	96436508		No
					IEC, F130, MG 100/112, 3.0 - 4.0 kW	96436509		No
					IEC, F265, MG132, 5.5 - 7.5kW	96436514		No
4	Chamber, Complete with Pos. 45 & 65		3/2-36	^^^	PTFE Pos. 45	96439480	97690020	No
4a	Chamber Cpl. w/Pos. 45 & 65 & Bearing		3/2-36	^^^^	Silicon Carbide Bearing, PTFE Pos. 45	96439475	97690601	YES
	Chamber Cpl. w/Pos. 45 & 65 & Brg. (option)		3/2-36	^^^^	Bronze Bearing, PTFE Pos. 45	96440612		YES
			3/2-36	^^^^	Graflon Bearing, PTFE Pos. 45	96440615		YES
5a	Chamber, Bottom Complete with Pos. 45 & 65		3/2-36	1	PTFE Pos. 45	96439484	96588148	No
6	Base		3/2-17	1	Flexi -Clamp / Oval, Stainless (max 232 PSI)	96438394		No
			3/2-36	1	For Flanges JIS, FGJ, ANSI, Stainless (max 362 PSI)	96438328		No
			3/2-36	1	Victualic (PIE) 1.25", Stainless (max 362 PSI)	96436851		No
7	Coupling Guard			2	IEC, F85-F100	96438136		YES
				2	NEMA-56C, IEC-F115,130, & 265	96438137		YES
7a	Screw for Coupling Guard		3/2-36	4	NEMA, 182-215TC	96438138		YES
9	Allen Screw		3/2-27	4	M4 x 8mm	96488481		YES
				4	M6 x 20mm, Delta Seal	001D7899		YES
				4	M8 x 25mm, Delta Seal	001D7900		YES
				4	M10 x 25mm, Delta Seal	001D7901		YES
10	Shaft Pin		3/2-36	1	ø5 x 26mm	310192		YES
10a	Coupling Half		3/2-27	2	NEMA, 56C, 1/3 - 2HP. ø15.8 / ø12	410108		YES
				2	NEMA, 182/184TC, 3-5HP. ø28.5/ø12	410109		YES
					NEMA, 213TC, 7.5-10HP. ø34.9/ø12	96472175		YES
			3/2-19	2	IEC, F85, MG71, .37-.55kW. ø14/ø12	410041		YES
			21-36	2	IEC, F100, MG80,.75-1.1kW. ø19/ø12	410043		YES
				2	IEC, F115, MG 90, 1.5-2.2kW. ø24/ø12	410045		YES
					IEC, F130, MG100/112, 3-4 kW.ø28/ø12	410047		YES
					IEC, F265, MG132, 5.5-7.5kW. ø38/ø12	410115		YES
12	Oval Flange for Flexi Base		3/2-17	2	Painted CI, 1" -11.5 NPT (max 232 PSI)	96468333		YES
			3/2-23	2	Painted CI, RP 1" BSP DIN (max 232 PSI)	400173		No
	Oval Flange for Flexi Base (option)		3/2-17	2	Stainless, 1" -11.5 NPT (max 232 PSI)	96468336		YES
			3/2-23	2	Stainless, RP 1" BSP DIN (max 232 PSI)	96437814		No
12a	Adapter Flg. for ANSI Pos. 201/Flexi Base (option)		3/2-17	2	Stainless, (max 232 PSI)	96437818		YES
12b	Pipe Stub for Clamp/Flexi Base (option)		3/2-17	2	Stainless, Internal 1" -11.5 NPT (max 232 PSI)	400182		YES
			3/2-17	2	Stainless, Internal 1.25" -11.5 NPT (max 232 PSI)	410279		YES
			3/2-17	2	Stainless, External 2" -11.5 NPT (max 232 PSI)	96468338		YES
12c	Clamp for Flexi Base & Pos. 12b (option)		3/2-17	4	Stainless, (max 232 PSI)	001D7194		YES
18	Priming/Vent Plug		3/2-36	*	G 1/2A, NV24 with NV9 x M8 stem	405150	95061351	No
23	Plug (option)		3/2-36	**	G 1/2A, Solid no port, NV24	370025	95061733	No
23a	Plug		3/2-36	**	G 1/2A, w/1/4" port, NV24	91120659		No
23b	Pipe Plug for Pos. 23 & 25 with hollow stem		3/2-36	**	1/4" NPT,SS SQHD	001D7216		No
25	Drain/Priming Plug Cpl. with O-rings		3/2-36	1	G 1/2A, NV24 w/NV9 x M8 stem, EPDM	96440611		No
			3/2-36	1	G 1/2A, NV24 w/NV9 x M8 stem, FKM	96446891		No
	Drain/Priming Plug Cpl. with O-rings (option)		3/2-36	1	G 1/2A, NV24 w/NV9 x M8 stem, FXM	96460009		No
			3/2-36	1	G 1/2A, NV24 w/NV9 x M8 stem, FFKM	96475474		No
	Dr./Pr. Plug Cpl. for gauge, w/O-rings (option)		3/2-36	1	G 1/2A, NV24 w/NV9 x M8 hollow stem, EPDM	96527050		No
			3/2-36	1	G 1/2A, NV24 w/NV9 x M8 hollow stem, FKM	96527051		No
			3/2-36	1	G 1/2A, NV24 w/NV9 x M8 hollow stem, FXM	96549174		No
			3/2-36	1	G 1/2A, NV24 w/NV9 x M8 hollow stem, FFKM	96527052		No
26	Staybolt		3/2-3	4	M12 x 151mm	414004		No
			4	4	M12 x 169mm	404007		No
			5	4	M12 x 187mm	404008		No
			6	4	M12 x 205mm	414006		No
			7	4	M12 x 223mm	404010		No
			8	4	M12 x 241mm	404011		No
			9	4	M12 x 259mm	414008		No
			10	4	M12 x 277mm	404013		No
			11	4	M12 x 294mm	96442754		No
			12	4	M12 x 313mm	414010		No
			13	4	M12 x 330mm	96442760		No
			15	4	M12 x 367mm	414012		No
			17	4	M12 x 402mm	96442762		No
			19	4	M12 x 439mm	404022		No
			21	4	M12 x 475mm	414016		No
			23	4	M12 x 511mm	404026		No
			25	4	M12 x 546mm	96442765		No
			27	4	M12 x 583mm	404030		No

Due to part changes over time, all position numbers (1-203) may not be used.

This column indicates which model uses the spare part. If blank, the part is used in all models.

B.O.M. Ref. Number is only available if it is not included in a kit or does not have a material number listed. If it is included in a kit (YES), or has a material number, request one of these numbers. If not included in a kit (No), but has a Material Number, use Material Number.

Parts List & Kits CRI1s

Pos. No.	Part Description	Model	Stages	No. Used	Comments/Dimensions	B.O.M. Ref. No.	Material No.	Included in kits ?
PARTS LIST								
26	Staybolt (Cool Top®, Back-to-Back & Tandem Seal option)		30	4	M12 x 637mm (50 Hz.)	414022		No
				4	M12 x 691mm (50 Hz.)	96442777		No
				4	M12 x 745mm (50 Hz.)	96442778		No
				4	M12 x 265mm	96442753		No
				4	M12 x 286mm	414009		No
				4	M12 x 294mm	96442754		No
				4	M12 x 319mm	96442756		No
				4	M12 x 340mm	414011		No
				4	M12 x 349mm	404017		No
				4	M12 x 367mm	414012		No
				4	M12 x 385mm	404019		No
				4	M12 x 402mm	96442762		No
				4	M12 x 427mm	96442763		No
				4	M12 x 436mm	96458181		No
				4	M12 x 475mm	414016		No
				4	M12 x 511mm	404026		No
				4	M12 x 546mm	96442765		No
				4	M12 x 583mm	404030		No
				4	M12 x 618mm	96442767		No
				4	M12 x 655mm	96458442		No
				4	M12 x 691mm	96442777		No
				4	M12 x 745mm (50 Hz.)	96442778		No
				4	M12 x 799mm (50 Hz.)	96442779		No
				4	M12 x 853mm (50 Hz.)	96458446		No
28	Motor Bolt		3/2-27	4	NEMA, 56C, 1/3 - 2HP. UNC 3/8" x 25mm	001D1839		No
					NEMA, 182/184TC, 3 - 5HP.UNC1/2" x 25mm	001D1840		No
					NEMA, 213TC, 7.5 -10HP. UNC 1/2" x 1.25"	91128631		No
			3/2-19	4	IEC, F85, MG71, .37-.55kW. M6 x 20mm	001D8022		No
			21-36	4	IEC, F100, MG80,.75-1.1kW. M6 x 25mm	001D8023		No
					IEC, F115, MG 90, 1.5-2.2kW. M8 x 20mm	001D8024		No
					IEC, F130, MG100/112, 3-4 kW. M8 x 25mm	001D8025		No
35	Hex. Head Screw for Oval "CI" Flange (Flexi opt.)		3/2-17	4	M10 x70mm, 8.8, A4, DIN931	96447227		YES
				4	M10 x 60mm, A4, DIN931	96447228		YES
35b	Screw for Clamp Pos.12c (Flexi option)		3/2-17	4	M8 x 40mm - A2, RR DIN933	001D7188		YES
35c	Nut for Screw Pos. 35b for Clamp Pos. 12c (Flexi opt.)		3/2-17	4	M8, 304SS	001D7187		YES
36	Staybolt Nut		3/2-36	4	19mm x M12, Delta Seal	001D7917		No
36b	Nut for Screw Pos. 35 Oval Flange (Flexi option)		3/2-17	4	M10, 316SS w/Delta Seal	96438757		YES
37	Sleeve O-ring		3/2-36	◆◆	EPDM, ø137.5 x 3.3mm	96438743		YES
				◆◆	FKM, ø137.5 x 3.3mm	96438744		YES
				◆◆	FXM, ø137.5 x 3.3mm	96458109		YES
				◆◆	FFKM, ø136.12 x 3.53mm	96466718		YES
38	Drain Plug O-ring		3/2-36	1	EPDM, ø16.3 x 2.4mm	001D1288		YES
				1	FKM, ø16.3 x 2.4mm	001D2231		YES
				1	FFKM, ø16.3 x 2.4mm	96428162		YES
				1	FXM, ø16.3 x 2.4mm	96442869		YES
39	Gasket for Oval Flange		3/2-17	2	95 x 55 x ø35 x 2mm, KLINGERSIL C4430	400189		YES
39b	O-ring for Clamp,Thread stub-Union-& FGJ Flge., (option)		3/2-17	2	EPDM, ø44.45 x 3.53mm	96407726		YES
				2	FKM, ø44.45 x 3.53mm	96411713		YES
45	Neck Ring		3/2-36	# stgs	ø41.3 x ø30.6 x .75mm, PTFE	400003		YES
47a	Bearing Ring/Spacer		3/2-36	^^^^	SiC 150, ø17.37 x ø13.10 x ø10.9 x 13mm	96437488		YES
				^^^^	TC, ø15.92 x ø13.10 x ø10.9 x 9.7mm	400041		YES
49	Impeller		3/2-36	# stgs	ø73.0 x ø30.6 x 9.0mm (back-plate .5mm)	96433134		No
50a	Top Guide Vane Top Guide Vane Plate (option for destaging)		3/2	1		96457637		No
				1		96478562		No
51	Shaft, Complete		3/2-3	1	ø12 x 160.5mm	96439607	96588198	No
				1	ø12 x 180.5mm	96440386	96588199	No
				1	ø12 x 196.5mm	96440387	96588230	No
				1	ø12 x 214.5mm	96440388		No
				1	ø12 x 234.5mm	96440389	96588231	No
				1	ø12 x 250.5mm	96440390		No
				1	ø12 x 268.5mm	96440391		No
				1	ø12 x 288.5mm	96440392		No
				1	ø12 x 304.5mm	96440393		No
				1	ø12 x 322.5mm	96440394	96588233	No
				1	ø12 x 342.5mm	96440395	96588234	No
				1	ø12 x 376.5mm	96440396	96588235	No
				1	ø12 x 412.5mm	96440398		No
				1	ø12 x 450.5mm	96440400		No
				1	ø12 x 484.5mm	96440401	96588236	No
				1	ø12 x 520.5mm	96440403		No
				1	ø12 x 556.5mm	96440405	96588237	No

Due to part changes over time, all position numbers (1-203) may not be used.

This column indicates which model uses the spare part. If blank, the part is used in all models.

B.O.M. Ref. Number is only available if it is not included in a kit or does not have a material number listed. If it is included in a kit (YES), or has a material number, request one of these numbers. If not included in a kit (No), but has a Material Number, use Material Number.

Pos. No.	Part Description	Model	Stages	No. Used	Comments/Dimensions	B.O.M. Ref. No.	Material No.	Included in kits ?
PARTS LIST								
51	Shaft, Complete (continued)		27	1	ø12 x 592.5mm	96440406	96588238	No
			30	1	ø12 x 646.5mm (50 Hz.)	96440408		No
			33	1	ø12 x 700.5mm (50 Hz.)	96440410		No
			36	1	ø12 x 754.5mm (50 Hz.)	96440411		No
	Shaft, Complete (Cool Top®, Back-to-Back & Tandem Seal option)		3/2-3	1	ø12 x 265.5mm	96457560		No
			4	1	ø12 x 285.5mm	96457561		No
			5	1	ø12 x 301.5mm	96457562		No
			6	1	ø12 x 319.5mm	96457563		No
			7	1	ø12 x 339.5mm	96457564		No
			8	1	ø12 x 355.5mm	96457565		No
			9	1	ø12 x 373.5mm	96457566		No
			10	1	ø12 x 393.5mm	96457567		No
			11	1	ø12 x 409.5mm	96457568		No
			12	1	ø12 x 427.5mm	96457569		No
			13	1	ø12 x 447.5mm	96457570		No
			15	1	ø12 x 481.5mm	96457571		No
			17	1	ø12 x 517.5mm	96457573		No
			19	1	ø12 x 555.5mm	96457575		No
			21	1	ø12 x 589.5mm	96457576		No
			23	1	ø12 x 625.5mm	96457578		No
			25	1	ø12 x 661.5mm	96457580		No
			27	1	ø12 x 697.5mm	96457581		No
			30	1	ø12 x 751.5mm (50 Hz.)	96457583		No
			33	1	ø12 x 805.5mm (50 Hz.)	96457585		No
			36	1	ø12 x 859.5mm (50 Hz.)	96457586		No
55	Outer Sleeve		3/2-3	1	ø138 x 44.6mm	96437865	96588241	No
			4	1	ø138 x 62.6mm	96440010		No
			5	1	ø138 x 80.6mm	96441510		No
			6	1	ø138 x 98.6mm	96439999		No
			7	1	ø138 x 116.6mm	96441511		No
			8	1	ø138 x 134.6mm	96441513		No
			9	1	ø138 x 152.6mm	96440000		No
			10	1	ø138 x 170.6mm	96441514		No
			11	1	ø138 x 188.6mm	96441516		No
			12	1	ø138 x 206.6mm	96440001		No
			13	1	ø138 x 224.6mm	96441517		No
			15	1	ø138 x 260.6mm	96440002		No
			17	1	ø138 x 296.6mm	96441520		No
			19	1	ø138 x 332.6mm	96441521		No
			21	1	ø138 x 368.6mm	96440004		No
			23	1	ø138 x 404.6mm	96441524		No
			25	1	ø138 x 440.6mm	96441525		No
			27	1	ø138 x 476.6mm	96440006		No
			30	1	ø138 x 530.6mm (50 Hz.)	96440007		No
			33	1	ø138 x 584.6mm (50 Hz.)	96440008		No
			36	1	ø138 x 638.6mm (50 Hz.)	96439652		No
56	Base Plate (Low) for PJE / Flexi-clamp Pos. 6		2-36	1	Cast Iron	96438133		No
	B. P. (High) for Flexi-clamp w/ANSI/DIN/JIS Pos. 6		2-36	1	Cast Iron	96438132		No
	Base Plate N (Low) for PJE / Flexi-clamp Pos. 6		2-36	1	Cast Stainless	96437870		No
	B. P. N (High) for Flexi-clamp w/ANSI/DIN/JIS Pos. 6		2-36	1	Cast Stainless	96437868		No
60	Stack Compression Spring		3/2-36	1	ø136 x 3.5mm	96439662	96547664	No
64	Spacing Pipe		2-36	^^^	ø15.85 x ø12.85 x 17.52mm	400035	95061339	No
64a	Spacing Pipe		3/2-36	^^^^	ø15.85 x ø12.85 x 4.5mm	96440292		YES
	Spacing Pipe (option for Graflon / Brz. 4a)		3/2-36	^^^^	Use with TC Pos.47a, ø15 x ø12.7 x 7.8mm	400016		YES
64c	Clamp, Splined		3/2-36	1	ø15 x ø13.10 x ø10.9 x 13mm	96439668		YES
65	Neck Ring Retainer		3/2-36	# stgs	ø43.5 x ø34.0 x 3.6mm	96438746		YES
66	Lock Washer Set for Shaft		3/2-36	1	ø13.5 x ø8.2 x 2.6mm	96417297		YES
66a	Washer for Staybolt		3/2-36	4	DIN 125A, ø24 x ø13 x 2.5mm, Delta Seal	96430377		No
67	Lock Nut for Shaft		3/2-36	1	13mm x M8	001D2061		YES
69	Spacing Pipe		3/2	1	ø15.85 x 12.85 x 18.0mm	400125	95061443	No
76	Nameplate		3/2-36	1	304SS, 60 x 45mm	96439820		No
76a	Rivet for Nameplate		3/2-36	2	304SS, ø3 x 5mm	96022882		No
77	Pump Head Cover for Motor Stool Pos. 2		3/2-36	1	Cast Stainless	96436340		No
77a	Pump Head Cover for Back-to-Back & Tandem Seal		3/2-36	1	Cast Stainless	96456293		No
	Pump Head Cover for Cool Top® (option)		3/2-36	1	Cast Stainless	96456294		No
79	Disc / Plate for Cool Top®		3/2-36	■	Stainless	96456296		No
100	Priming/Vent Plug O-ring		3/2-36	■	EPDM, ø16.3 x 2.4mm	001D1288		YES
			3/2-36	■	FKM, ø16.3 x 2.4mm	001D2231		YES
100a	Priming/Vent Plug O-ring (option)		3/2-36	■	FFKM, ø16.3 x 2.4mm	96428162		YES
			3/2-36	■	FXM, ø16.3 x 2.4mm	96442869		YES
102	O-ring for Pos. 105b Back-to-Back		3/2-36	1	EPDM, ø18 x 2.5mm	001D2041		YES
			3/2-36	1	FKM, ø17.86 x 2.62mm	001D2187		YES

Due to part changes over time, all position numbers (1-203) may not be used.

This column indicates which model uses the spare part. If blank, the part is used in all models.

B.O.M. Ref. Number is only available if it is not included in a kit or does not have a material number listed. If it is included in a kit (YES), or has a material number, request one of these numbers. If not included in a kit (No), but has a Material Number, use Material Number.

Parts List & Kits CRI1s

Pos. No.	Part Description	Model	Stages	No. Used	Comments/Dimensions	B.O.M. Ref. No.	Material No.	Included in kits ?
PARTS LIST								
102	O-ring for Pos. 105b Back-to-Back		3/2-36	1	FFKM, ø17.86 x 2.62mm	96440281		No
			3/2-36	1	FXM, ø17.86 x 2.62mm	96472584		No
103	Stationary Seal Ring for 105b Back-to-Back		3/2-36	1	TC, 12mm	980190		No
	Stationary Seal Ring for 105b Back-to-Back (opt.)		3/2-36	1	SiC, 12mm	980746		YES
104	Rotating Seal Ring for 105b Back-to-Back		3/2-36	1	TC, 12mm	980163		No
	Rotating Seal Ring for 105b Back-to-Back (opt.)		3/2-36	1	SiC, 12mm	980733		YES
105(b)	Shaft Seal HQBE		3/2-36	***	SiC, Carbon with resin-impregnated, EPDM	96441879		YES
	Shaft Seal HQBV		3/2-36	***	SiC, Carbon with resin-impregnated, FKM	96441880		YES
	Shaft Seal HQBK (option)		3/2-36	***	SiC, Carbon with resin-impregnated, FFKM	96489537		YES
	Shaft Seal HQQE		3/2-36	***	SiC, SiC, EPDM	96441877		YES
	Shaft Seal HQQV		3/2-36	***	SiC, SiC, FKM	96441878		YES
	Shaft Seal HQQF (option)		3/2-36	***	SiC, SiC, FXM	96472620		YES
	Shaft Seal HQQK (option)		3/2-36	***	SiC, SiC, FFKM	96464381		YES
	Shaft Seal HUBE		3/2-36	***	TC, Carbon with resin-impregnated, EPDM	96441873		YES
	Shaft Seal HUBV		3/2-36	***	TC, Carbon with resin-impregnated, FKM	96441874		YES
	Shaft Seal HUBF (option)		3/2-36	***	TC, Carbon with resin-impregnated, FXM	96481464		YES
	Shaft Seal HUBK (option)		3/2-36	***	TC, Carbon with resin-impregnated, FFKM	96481463		YES
	Shaft Seal HUUE		3/2-36	***	TC, TC, EPDM	96441875		YES
	Shaft Seal HUUV		3/2-36	***	TC, TC, FKM	96441876		YES
	Shaft Seal HUUF (option)		3/2-36	***	TC, TC, FXM	96475542		YES
	Shaft Seal HUUK (option)		3/2-36	***	TC, TC, FFKM	96467885		YES
105b	Shaft Seal/inboard for Back-to-Back OQQE		3/2-36	1	SiC, SiC, EPDM	985200		YES
	Shaft Seal/inboard for Back-to-Back OQQV		3/2-36	1	SiC, SiC, FKM	985760		YES
	Shaft Seal/inboard for Back-to-Back OUUE		3/2-36	1	TC, TC, EPDM	985189	405145	No
	Shaft Seal/inboard for Back-to-Back OUUV		3/2-36	1	TC, TC, FKM	985190	405145	No
107	O-ring for Pos. 105b Back-to-Back		3/2-36	1	EPDM, ø11.5 x 4.3mm	001D2040		YES
			3/2-36	1	FKM, ø11.5 x 4.3mm	001D2186		YES
	O-ring for Pos. 105b Back-to-Back (option)		3/2-36	1	FFKM, ø11.5 x 4.3mm	96440282		No
			3/2-36	1	FXM, ø11.5 x 3.18mm	96472618		No
108	Spring for Pos. 105b Back-to-Back		3/2-36	1	12mm	980195		YES
109(a)	O-ring for Shaft Seal Pos. 105		3/2-36	1	EPDM, ø21.3 x 3.0mm	001D1798		YES
			3/2-36	1	FKM, ø21.2 x 3.0mm	001D2339		YES
109b	O-ring for Shaft Seal Pos. 105 (option)		3/2-36	1	FXM, ø22 x 2.75mm	96458111		YES
			3/2-36	1	FFKM, ø23.47 x 2.62mm	96464384		YES
111	Seal Driver (small) for Pos. 105b Back-to-Back		3/2-36	1		980192		YES
112	Seal Driver (large) for Pos. 105b Back-to-Back		3/2-36	1		980191		YES
112a	Seal Drv threaded for 112, Pos. 105b Back-to-Back		3/2-36	1		400203		YES
113	Set Screw for 112a, for Pos. 105b Back-to-Back		3/2-36	1	3mm x M5 x 6mm	001D7392		YES
117	Pipe for Air Vent (option)		3/2-36	1	R 1/2", 316 Stainless	330272		YES
117a	Counter Nut for Pipe 117		3/2-36	1	NV 24, Internal G 1/2, 316 SS	96506709		YES
118	Automatic Air Vent (option)		3/2-36	1	Type AE50S 1/2" BSP, Stainless	96498508		YES
146	Allen Bolt for 147/148, for Pos. 105b Back-to-Back		3/2-36	1	2.5mm x M3 x 5mm	96462639		YES
147	Stationary Seal Retainer - Pos. 105b Back-to-Back		3/2-36	1	NV36, 316SS	96457354		No
148	Seal Retainer Washer - Pos. 105b Back-to-Back		3/2-36	1	316SS, ø36.0 x ø21.6 x 5.0mm	96457355		No
149	Connecting Pipe CPL for Cool Top®		3/2-36	1	NV36, 316SS, FXM & EPDM	96460414		No
			3/2-36	1	NV36, 316SS, FXM & FKM	96460415		No
149a	Retainer for bushing		3/2-36	1	316SS, ø22.0 x ø17.0 x 9mm	96457639		YES
149b	Bushing		3/2-36	1	Graflon®, ø21.2 x ø12.4 x 53mm	96456297		YES
149c	Connecting Pipe less 109a&b and 149a&b		3/2-36	1	NV36, 316SS	96456295		YES
			3/2-36	1	NV36, 316SS, FXM & FKM	96460415		No
201	Flange		3/2-36	1	ANSI, DIN, JIS PN40/30K, Cast Iron	96439203		YES
			3/2-36	1	ANSI, DIN, JIS PN40/30K, Stainless	96439492		YES
203	Lock Ring for Flange		3/2-36	1	Stainless	96439718		YES

Due to part changes over time, all position numbers (1-203) may not be used.

This column indicates which model uses the spare part. If blank, the part is used in all models.

B.O.M. Ref. Number is only available if it is not included in a kit or does not have a material number listed. If it is included in a kit (YES), or has a material number, request one of these numbers. If not included in a kit (No), but has a Material Number, use Material Number.

Notes:

- ^^^ 3/2 to 9 stage= # of Stages less 2
10 to 19 stage= # of stages less 3
21 to 27 stage= # of stages less 4
29 to 36 stage= # of stages less 5
- ^^^ 3/2 to 9 stage= use 1
10 to 19 stage= use 2
21 to 27 stage= use 3
29 to 36 stage= use 4
- * Standard use 1. Back-to-Back or Tandem pump version use 3
** Standard use 1. Back-to-Back or Tandem pump version use 3
*** 1 used in Hxxx (Standard), 2 used in Pxxx (Tandem) pump version
- ◆◆ Standard use 2. Back-to-Back or Tandem pump version use 3
■ Standard use 2. Back-to-Back or Tandem pump version use 6

Cool Top® is a registered trademark of Grundfos Pumps

Key to Symbols:

- KITS (YES) Recommended spare part**
- Ø Diameter
- ANSI** American National Standards Institute
- CPL** Complete Assembly – these parts consist of more than one component
- EPDM** Ethylene Propylene (also known as EPR and EPT) – an elastic substance similar to rubber
- FFKM** Kalrez Elastomer made by DuPont
- FKM** Fluoro Elastomer (generic for Viton)
- FXM** Fluoraz Elastomer made by Greene Tweed
- M** International standard thread size designation (thread diameter in mm)
- mm** Millimeter
- MG** Identifies Grundfos motor type/size
- N** Stainless
- NBR** Buna - N (also known as Nitrile) – an elastic substance similar to rubber
- NEMA** National Electrical Manufacturers Association
- PTFE** Teflon
- SiC** Silicon Carbide
- TC** Tungsten Carbide

Spare Part Kits

Since certain pump parts can be expected to exhibit wear at the same time as related pump parts, they have been grouped into the following kits for your convenience. The numbers indicate the quantity of the part within each kit. Please order these kits using the kit material number at the top of the columns.

CR(I, N)1S, 1, & 3 SiC Bearing						
WEAR PARTS KIT 2-9			Kit No. 96455095			
WEAR PARTS KIT 10-19			Kit No. 96455092			
WEAR PARTS KIT 20-27			Kit No. 96455093			
WEAR PARTS KIT 28-36			Kit No. 96455094			
Pos. No.	Description	Material No.	Qty. Included in each Kit			
4a	Chamber N Cpl. w/Pos.45 & 65 & SiC Bearing	96439476	1	2	3	4
39	Gasket for Oval Flange, 95 x 55 x ø35 x 2mm	400189	2	2	2	2
45	Neck Ring, ø41.3 x ø30.6 x .75mm, PTFE	400003	8	17	24	32
47a	Bearing Ring/Spacer, SiC 150, 13mm	96437488	1	2	3	4
64a	Spacing Pipe, ø15.85 x ø12.85 x 4.5mm	96440292	1	2	3	4
64c	Clamp, Splined, ø15 x ø13.10 x ø10.9 x 13mm	96439668	1	1	1	1
65	Neck Ring Retainer, N, ø43.5 x ø34.0 x 3.6mm	96438746	8	17	24	32
66	Lock Washer Set of 2, ø13.5 x ø8.2 x 2.6mm	96417297	1	1	1	1
67	Lock Nut, 13mm x M8	00ID2061	1	1	1	1

CR(I, N)1S, 1, & 3 Grafolon Bearing						
WEAR PARTS KIT 2-9			Kit No. 96460140			
WEAR PARTS KIT 10-19			Kit No. 96455110			
WEAR PARTS KIT 20-27			Kit No. 96455111			
WEAR PARTS KIT 28-36			Kit No. 96455112			
Pos. No.	Description	Material No.	Qty. Included in each Kit			
4a	Chamber N Cpl. w/Pos.45 & 65 & Grafolon Bearing	96440615	1	2	3	4
39	Gasket for Oval Flange, 95 x 55 x ø35 x 2mm	400189	2	2	2	2
45	Neck Ring, ø41.3 x ø30.6 x .75mm, PTFE	400003	8	17	24	32
47a	Bearing Ring/Spacer, TC, 9.7mm	400041	1	2	3	4
64a	Spacing Pipe, ø15.85 x ø12.85 x 7.8mm	400016	1	2	3	4
64c	Clamp, Splined, ø15 x ø13.10 x ø10.9 x 13mm	96439668	1	1	1	1
65	Neck Ring Retainer, N, ø43.5 x ø34.0 x 3.6mm	96438746	8	17	24	32
66	Lock Washer Set of 2, ø13.5 x ø8.2 x 2.6mm	96417297	1	1	1	1
67	Lock Nut, 13mm x M8	00ID2061	1	1	1	1

CR(I)1S, 1, & 3 Bronze Bearing						
WEAR PARTS KIT 2-9			Kit No. 96455102			
WEAR PARTS KIT 10-19			Kit No. 96455104			
WEAR PARTS KIT 20-27			Kit No. 96455105			
WEAR PARTS KIT 28-36			Kit No. 96455106			
Pos. No.	Description	Material No.	Qty. Included in each Kit			
4a	Chamber Cpl. w/Pos.45 & 65 & Bronze Bearing	96440612	1	2	3	4
39	Gasket for Oval Flange, 95 x 55 x ø35 x 2mm	400189	2	2	2	2
45	Neck Ring, ø41.3 x ø30.6 x .75mm, PTFE	400003	8	17	24	32
47a	Bearing Ring/Spacer, TC, 9.7mm	400041	1	2	3	4
64a	Spacing Pipe, ø15.85 x ø12.85 x 7.8mm	400016	1	2	3	4
64c	Clamp, Splined, ø15 x ø13.10 x ø10.9 x 13mm	96439668	1	1	1	1
65	Neck Ring Retainer, N, ø43.5 x ø34.0 x 3.6mm	96438746	8	17	24	32
66	Lock Washer Set of 2, ø13.5 x ø8.2 x 2.6mm	96417297	1	1	1	1
67	Lock Nut, 13mm x M8	00ID2061	1	1	1	1

GASKET KIT (EPDM)			Kit No.		96455090					
GASKET KIT (FKM)			Kit No.		96455091					
GASKET KIT (FXM)			Kit No.		96463944					
GASKET KIT (FFKM)			Kit No.		96533328					
GASKET KIT (EPDM)-Double Seal option.			Kit No.		96533362					
GASKET KIT (FKM)-Double Seal option.			Kit No.		96533363					
GASKET KIT (FFKM)-Double Seal option.			Kit No.		96533364					
GASKET KIT (FXM, & EPDM)- Cool-Top option			Kit No.		96533329					
Pos. No.	Description	Material No.	Qty. Included in each Kit							
37	Sleeve O-ring, EPDM, ø137.5 x 3.3mm	96438743	2				3			1
	Sleeve O-ring, FKM, ø137.5 x 3.3mm	96438744		2				3		
37b	Sleeve O-ring, FXM, ø137.5 x 3.3mm	96458109			2					2
	Sleeve O-ring, FFKM, ø136.12 x 3.53mm	96466718				2			3	
38, 100(a)	Drain Plug O-ring, EPDM, Ø16.3 x 2.4mm	00ID1288	3							4
	Drain Plug O-ring, FKM, Ø16.3 x 2.4mm	00ID2231		3				7		
38, 100a	Drain Plug O-ring, FXM, ø16.3 x 2.4mm	96442869			3					3
	Drain Plug O-ring, FFKM, ø16.3 x 2.4mm	96428162				3			7	
109(a)	O-ring for Pos.105(b) & 149, EPDM, Ø21.3 x 3.0mm	00ID1798	1					1		
	O-ring for Pos.105(b) & 149, FKM, Ø21.2 x 3.0mm	00ID2339		1					1	
109b	O-ring for Pos.105(b) & 149, FXM, Ø22.0 x 2.75mm	96458111			1					2
	O-ring for Pos.105(b) & 149, FFKM, Ø23.47 x 2.62mm	96464384				1			2	

STACK® KITS	
Model	Material No.
CR(I)1S-3/2	96479046
CR(I)1S-3	96479047
CR(I)1S-4	96479048
CR(I)1S-5	96479049
CR(I)1S-6	96479060
CR(I)1S-7	96479061
CR(I)1S-8	96479062
CR(I)1S-9	96479063
CR(I)1S-10	96479064
CR(I)1S-11	96479065
CR(I)1S-12	96479066
CR(I)1S-13	96479067
CR(I)1S-15	96479068
CR(I)1S-17	96479069
CR(I)1S-19	96479070
CR(I)1S-21	96479071
CR(I)1S-23	96479072
CR(I)1S-25	96479073
CR(I)1S-27	96479074
*** CR(I)1S-30	96479075
*** CR(I)1S-33	96479076
*** CR(I)1S-36	96479077

***For 50 Hz operation only.

Spare Part Kits (continued)

STANDARD SHAFT SEAL KIT, BALANCED CARTRIDGE (Maximum allowed working PSI is 435) (Tandem Seal option Pumps require 2 of each Seal Kit)			Kit No.		96455088						
			Kit No.		96455089						
			Kit No.		96455086						
			Kit No.		96455087						
			Kit No.				96455082				
			Kit No.						96455083		
			Kit No.						96455084		
			Kit No.								96455085
Kit No.											
Pos. No.	Description		Material No.		Qty. Included in each Kit						
105	HQBE		96441879		1						
	HQBV		96441880			1					
	HQQE		96441877				1				
	HQQV		96441878					1			
	HUBE		96441873						1		
	HUBV		96441874							1	
	HUUE		96441875								1
	HUUV		96441876								1
N/A	Grinding Device Tool for Emery Cloth		370711		1	1	1	1	1	1	1
N/A	Emery Cloth		370712		1	1	1	1	1	1	1

OPTIONAL SHAFT SEAL KIT, BALANCED CARTRIDGE			Kit No.	96491375						
(Maximum allowed working PSI is 435)			Kit No.	96533327						
(Tandem Seal option Pumps require 2 of each Seal Kit)			Kit No.	96533326						
			Kit No.	96533323						
			Kit No.	96533322						
			Kit No.	96533325						
			Kit No.	96533324						
Pos. No.	Description	Material No.	Qty. Included in each Kit							
105	HQBK	96489537	1							
	HQQF	96472620		1						
	HQQK	96498109			1					
	HUBF	96481464				1				
	HUBK	96481463					1			
	HUUF	96475542						1		
	HUUK	96498108							1	
N/A	Grinding Device Tool for Emery Cloth	370711	1	1	1	1	1	1	1	
N/A	Emery Cloth	370712	1	1	1	1	1	1	1	

INBOARD SHAFT SEAL & Gasket KIT, Back to Back OQQE		Kit No.	96533360	
INBOARD SHAFT SEAL & Gasket KIT, Back to Back OQQV (An HQQx seal kit must also be used for a seal repair)		Kit No.	96533361	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
37	Sleeve O-ring, EPDM, ø137.5 x 3.3mm	96438743	3	
	Sleeve O-ring, FKM, ø137.5 x 3.3mm	96438744		3
38, 100(a)	Drain Plug O-ring, EPDM, Ø16.3 x 2.4mm	00ID1288	7	
	Drain Plug O-ring, FKM, Ø16.3 x 2.4mm	00ID2231		7
102	O-ring, EPDM, ø18 x 2.5mm	00ID2041	1	
	O-ring, FKM, ø17.86 x 2.62mm	00ID2187		1
103	Stationary Seal Ring, SiC, 12mm	980746	1	
104	Rotating Seal Ring, SiC, 12mm	980733		1
107	O-ring, EPDM, ø11.5 x 4.3mm	00ID2040	1	
	O-ring, FKM, ø11.5 x 4.3mm	00ID2186		1
108	Spring, 12mm	980195	1	1
109a	O-ring, EPDM, ø21.3 x 3.0mm	00ID1798	1	
	O-ring, FKM, ø21.2 x 3.0mm	00ID2339		1
111	Driver for pos.104	980192	1	1
112	Driver for pos.111	980191	1	1
112a	Driver for pos.112	400203	1	1
113	Set Screw for pos.112a	00ID7392	2	2
146	Allen Bolt for pos.147 & 148, 2.5mm x M3 x 5mm	96462639	3	3

IEC COUPLING KIT		ø14/ø12	Kit No.	415060					
		ø19/ø12	Kit No.	415061					
		ø24/ø12	Kit No.	415062					
		ø28/ø12	Kit No.	415063					
		ø38/ø12	Kit No.	415065					
Pos. No.	Description	Material No.	Qty. Included in each Kit						
9	Allen Screw, M6 x 20mm, Delta Seal	00ID7899	4						
	Allen Screw, M8 x 25mm, Delta Seal	00ID7900		4	4	4			
	Allen Screw, M10 x 25mm, Delta Seal	00ID7901					4		
10	Shaft Pin, ø5 x 26mm, Stainless	310192	1	1	1	1	4		
10a	Coupling Half, F85, MG71, .37-.55kW. ø14/ø12	410041	2				1		
	Coupling Half, F100, MG80,.75-1.1kW. ø19/ø12	410043		2					
	Coupling Half, F115, MG 90, 1.5-2.2kW. ø24/ø12	410045			2				
	Coupling Half, F130, MG100/112, 3-4 kW.ø28/ø12	410047				2			
	Coupling Half, F265, MG132, 5.5-7.5kW. ø38/ø12	410115					2		

Spare Part Kits (continued)

NEMA COUPLING KIT					
$\phi 15.8/\phi 12$		Kit No.	415314		
$\phi 28.5/\phi 12$		Kit No.	415315		
$\phi 34.9/\phi 12$		Kit No.	96478700		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
9	Allen Screw, M6 x 20mm, Delta Seal	00ID7899	4		
	Allen Screw, M8 x 25mm, Delta Seal	00ID7900		4	4
	Allen Screw, M10 x 25mm, Delta Seal	00ID7901			
10	Shaft Pin, $\phi 5$ x 26mm, Stainless	310192	1	1	1
10a	Coupling Half, 56C, 1/3 - 2HP. $\phi 15.8 / \phi 12$	410108	2		
	Coupling Half, 182/184TC, 3-5HP. $\phi 28.5/\phi 12$	410109		2	
	Coupling Half, 213TC, 7.5-10HP. $\phi 34.9/\phi 12$	96472175			2

COUPLING GUARD KIT					
IEC, F85-F100, .37 to 1.1 kW		Kit No.	96505130		
NEMA 56C, 1/3-2HP; IEC-F115-130 &		Kit No.	96505131		
NEMA 182-215TC, 3-10HP		Kit No.	96505132		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
7	Coupling Guard, W=127mm x H=66mm	96438136	2		
	Coupling Guard, W=127mm x H=90.5mm	96438137		2	
	Coupling Guard, W=157mm x H=171mm	96438138			2
7a	Screw comb.slot torx/straight slot 4x8mm	96488481	4	4	4

FLEXI FLANGE KIT FOR SMALL CRI1S, 1, & 3					
1" Threaded Cast Iron (232 PSI Max.)		Kit No.	96468491		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
12	Flange, Cast Iron, 1" - 11.5 NPT	96468333		2	
35	Hex Head Bolt, M10 x 70mm, Delta Seal	96447227		4	
36b	Nut, M10, 316SS w/Delta Seal	96438757		4	
39	Gasket , 95 x 55 x $\phi 35$ x 2mm, KLINGERSIL C4430	400189		2	

FLEXI FLANGE KIT FOR SMALL CRI1S, 1, & 3					
1" Threaded Stainless (232 PSI Max.)		Kit No.	964680850		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
12	Flange, Stainless, 1" - 11.5 NPT	96468336		2	
35	Hex Head Bolt, M10 x 60mm, A4, DIN931	96447228		4	
36b	Nut, M10, 316SS w/Delta Seal	96438757		4	
39	Gasket , 95 x 55 x $\phi 35$ x 2mm, KLINGERSIL C4430	400189		2	

FLEXI FLANGE KIT FOR SMALL CRI1S, 1, 3, & 5					
1-1/4" Threaded Cast Iron (232 PSI Max.)		Kit No.	96470781		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
12	Flange, Cast Iron, 1-1/4" - 11.5 NPT	96468335		2	
35	Hex Head Bolt, M10 x 70mm, Delta Seal	96447227		4	
36b	Nut, M10, 316SS w/Delta Seal	96438757		4	
39	Gasket , 95 x 55 x $\phi 35$ x 2mm, KLINGERSIL C4430	400189		2	

FLEXI FLANGE KIT FOR SMALL CRI1S, 1, 3, & 5					
1-1/4" Threaded Stainless (232 PSI Max.)		Kit No.	96480851		
Pos. No.	Description	Material No.	Qty. Included in each Kit		
12	Flange, Stainless, 1" - 11.5 NPT	96468337		2	
35	Hex Head Bolt, M10 x 60mm, A4, DIN931	96447228		4	
36b	Nut, M10, 316SS w/Delta Seal	96438757		4	
39	Gasket , 95 x 55 x $\phi 35$ x 2mm, KLINGERSIL C4430	400189		2	

FLEXI CLAMP FLANGE KIT FOR SMALL CRI(N)1S, 1, 3, & 5					
1-1/4" Stainless Flange		EPDM	Kit No.	96480858	
(Conversion max. allowable operating pressure 232		FKM	Kit No.	96480859	
Pos. No.	Description	Material No.	Qty. Included in each Kit		
12a	Adapter Flg. for ANSI pos.201/Flexi Base (232 PSI)	96437818	2	2	
35	Hex Head Bolt, M10 x 60mm, A4, DIN931	96447228	4	4	
36b	Nut, M10, 316SS w/Delta Seal	96438757	4	4	
39b	O-ring, EPDM, ø44.45 x 3.53mm	96407726	2		
	O-ring, FKM, ø44.45 x 3.53mm	96411713		2	
201	Flange, ANSI, DIN, JIS PN40/30K, Stainless	96439492	2	2	
203	Lock Ring, Stainless	96439718	2	2	

FLEXI CLAMP KIT FOR SMALL CRI1S, 1, & 3		EPDM FKM	Kit No.	96480854	
1" Internal Threaded SS Pipe Stub (232 PSI Max.)			Kit No.	96480855	
Pos. No.	Description		Material No.	Qty. Included in each Kit	
12b	Stainless, Internal 1" -11.5 NPT		400182	2	2
12c	Clamp for Flexi Base & pos.12b		00ID7194	4	4
35b	Screw for Pos. 12c, M8 x 40mm - A2, RR DIN933		00ID7188	4	4
35c	Nut for Pos. 35b, M8, 304SS		00ID7187	4	4
39b	O-ring, EPDM, ø44.45 x 3.53mm		96407726	2	
	O-ring, FKM, ø44.45 x 3.53mm		96411713		2

Spare Part Kits (continued)

FLEXI CLAMP KIT FOR SMALL CRI1S, 1, 3, & 5 1-1/4" Internal Threaded SS Pipe Stub (232 PSI Ma)			Kit No. 96480856	
EPDM FKM			Kit No. 96480857	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
12b	Stainless, Internal 1-1/4" -11.5 NPT	410279	2	2
12c	Clamp for Flexi Base & pos.12b	00ID7194	4	4
35b	Screw for Pos. 12c, M8 x 40mm - A2, RR DIN933	00ID7188	4	4
35c	Nut for Pos. 35b, M8, 304SS	00ID7187	4	4
39b	O-ring, EPDM, ø44.45 x 3.53mm	96407726	2	
	O-ring, FKM, ø44.45 x 3.53mm	96411713		2

FLEXI CLAMP KIT FOR SMALL CRI1S, 1, 3, & 5 2" External Threaded SS Pipe Stub (232 PSI Max.)			Kit No. 96480852	
EPDM FKM			Kit No. 96480853	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
12b	Stainless, Internal 2" -11.5 NPT	96468338	2	2
12c	Clamp for Flexi Base & pos.12b	00ID7194	4	4
35b	Screw for Pos. 12c, M8 x 40mm - A2, RR DIN933	00ID7188	4	4
35c	Nut for Pos. 35b, M8, 304SS	00ID7187	4	4
39b	O-ring, EPDM, ø44.45 x 3.53mm	96407726	2	
	O-ring, FKM, ø44.45 x 3.53mm	96411713		2

AIR VENT FOR SMALL CR			Kit No. 91128708	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
117	Pipe for Air Vent, R1/2" , 316SS	330272		1
117a	Counter Nut for Pipe 117	96506709		1
118	Automatic Air Vent, Type AE50S 1/2" BSP, SS.	96498508		1

Accessories







ANSI COMPANION FLANGES FOR SMALL CR 1-1/4" Threaded Cast Iron, 250 Lb. Class			Kit No. 91122260	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
N/A	Nut, HEX 5/8"-11 UNC, Grade 2	00ID1510		8
N/A	Plain Bolt, 5/8" x 2-1/2", Grade 2	00ID1920		8
N/A	Flange 1-1/4", Cast Iron	00ID3650		2
N/A	Gasket Full Face Flange, 1-1/4", 300#, Cut Ring	400201		2

ANSI COMPANION FLANGES FOR SMALL CR 1-1/4" Threaded Stainless, 300 Lb. Class			Kit No. 91129013	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
N/A	Nut, HEX 5/8"-11 UNC, 18-8SS	0ID00164		8
N/A	Bolt, HEX 5/8" x 2-3/4", UNC 18-8SS	00ID7241		8
N/A	Flange 1-1/4" Stainless, ANSI, DIN, JIS PN40/30K,	00ID7239		2
N/A	Gasket Full Face Flange, 1-1/4", 300#, Cut Ring	400201		2

VICTAULIC TYPE COMPANION CONNECTIONS FOR SMALL CRI(N)			Kit No. 4013010	
EPDM FKM			Kit No. 0ID00118	
Pos. No.	Description	Material No.	Qty. Included in each Kit	
N/A	Victaulic Type Coupling, 1-1/4", EPDM	0ID17810	2	
N/A	Victaulic Type Coupling, 1-1/4", 77 FKM	0ID00112		2
N/A	1-1/4" Stainless NPT Nipple	4000011	2	2




Special Tools

Tools not generally available from normal sources.

Mat. No.	Description and Use	
00SV0040	Shaft Holder for Dismantling/Assembly Used to hold and protect the shaft during dismantling and assembly.	
00SV2007	Tubular Box Spanner for Shaft Seal 36.1 mm Used to install and remove the shaft seal. Fits a 1/2" drive ratchet.	
00SV0239	Puller for Neck Ring Used to remove the Neck Ring from Chamber.	
00SV2014	Circlip Pliers for Flange Lock Ring Used to remove the Lock Ring for the Flange.	
00SV2066	Tool for Outer Sleeve Used to press sleeve into base. (optional)	
00SV2011	Bit Holder Used with Bits Kit, 1/4"	
00SV2010	Bits Kit NV 5 mm for M6, 1/4" NV 6 mm for M8, 1/4" NV 8 mm for M10, 1/4"	
00SV2012	Hexagon Socket Bit Used for Shaft Seal NV 2.5 mm for M5, 1/4"	

Standard Tools

In addition to being available from Grundfos, comparable tools can be purchased through normal sources.

Mat. No.	Description and Use	
00SV0083 00SV0055 00SV0056 00SV0054 00SV0122	Wrenches Used to tighten various nuts. NV 10 mm for M6 NV 13 mm for M8 NV 17 mm for M10 NV 19 mm for M12 NV 24 mm for M16	
00SV0292 00SV0269 00SV0400	Torque Wrench Used to torque various screws. 4-20 Nm, 9 x 12 20-100 Nm, 9 x 12 40-200 Nm, 14x18	
00SV0438	Torque Screwdriver Used to tighten various nuts. 1-6 Nm, 1/4"	
00SV0295	Ratchet Spanner for all Adapters 9 mm x 12 mm, 1/2"	
00SV0296 00SV0297 00SV0298	Socket Spanner with Inside Hex NV 5 mm for M6, 1/2" x 1/2" NV 6 mm for M8, 1/2" x 1/2" NV 8 mm for M10, 1/2" x 1/2"	
00SV0310 00SV0294 00SV0270 00SV0271 00SV0524	Ring Spanner NV 10 mm for M6 NV 13 mm for M8 NV 17 mm for M10 NV 19 mm for M12 NV 24 mm for M16	
00SV2013	Socket Spanner NV 13 mm for M8, 9 x 12	

L-CR-SM-035 0613

The name Grundfos, the Grundfos logo, and **be think innovate** are registered trademarks owned by Grundfos Holding A/S, Denmark. All rights reserved worldwide. © Copyright Grundfos Holding A/S

GRUNDFOS Pumps Corporation
17100 W. 118th Terrace
Olathe, Kansas 66062
Phone: 913.227.3400
Fax: 913.227.3500
www.grundfos.us

GRUNDFOS Canada, Inc.
2941 Brighton Road
Oakville, Ontario L6H 6C9 Canada
Phone: 905.829.9533
Fax: 905.829.9512

Bombas GRUNDFOS de Mexico S.A. de C.V.
Boulevard TLC No. 15
Parque Industrial Stiva Aeropuerto
Apodaca, N.L. Mexico 66600
Phone: 52.81.8144.4000
Fax: 52.81.8144.4010

GRUNDFOS 