



GWP1_ with PS Pump



GWP2_ with WW05 Pump

**COMPONENTS FOR FULLY ASSEMBLED
WASTEWATER PACKAGES**

Ribbed 23" x 30" Basin

Roll Top 18" x 30" Polyethylene Basin

PS Series Pumps

WW05 Series Vortex Pumps

GWP

PLUMBER'S WASTEWATER PACKAGE SYSTEMS

GWP1 --- COMPONENTS

- Ribbed polyethylene basin 23" x 30"
(uses 18" diameter cover)
- Structural foam 18" diameter cover assembly
(includes bolts, seal tape, cord grommet and
(1) 3" and (2) 2" grommets)
- Swing style check valve (2 choices)
 - 2" Compression type
 - 2" Full flow rubber sleeve style
- Sch 40 PVC discharge pipe 2"D x 30"L
- Ribbed basin 23" torque stop insert
- Vent and discharge grommets
*(to purchase separately from cover assembly)
 - 2" (pipe) x 4" (cover hole) grommet
 - 3" (pipe) x 4" (cover hole) grommet

Replacement Part Number

A7RP2330

A8SF18

A9-2P

A9-2PH

ADP2030

ATS23

*A8-24U

*A8-3U



GWP1_ with PS Pump



A9-2P



A9-2PH

GWP2 --- COMPONENTS

- Roll Top Polyethylene Basin 18" x 30"
- Structural foam 18" Dia. cover assembly (includes bolts, seal tape, cord grommet and (1) 3" and (2) 2" grommets)
- Steel 18" Dia. cover with epoxy coating (includes bolts, seal tape, cord grommet and (2) 2" grommets)
NOTE: 3" vent not available on standard steel cover
- Swing style check valve (2 choices)
 - 2" Compression type
 - 2" Full flow rubber sleeve style
- Sch 40 PVC discharge pipe 2"D x 30"L
- Roll top basin 18" torque stop insert
- Inlet grommet for 18" x 30" roll top basin
- Vent and discharge grommets
*(to purchase separately from cover assembly)
 - 2" (pipe) x 4" (cover hole) grommet
 - 3" (pipe) x 4" (cover hole) grommet

Replacement Part Number

A7PE1830

A8SF18

OR

A8ST18

A9-2P

A9-2PH

ADP2030

ATS18

A8-4U

*A8-24U

*A8-3U



GWP2_ with WW05 Pump



A9-2P



A9-2PH

Xylem |'zīləm|

- 1) The tissue in plants that brings water upward from the roots;
- 2) a leading global water technology company.

We're 12,500 people unified in a common purpose: creating innovative solutions to meet our world's water needs. Developing new technologies that will improve the way water is used, conserved, and re-used in the future is central to our work. We move, treat, analyze, and return water to the environment, and we help people use water efficiently, in their homes, buildings, factories and farms. In more than 150 countries, we have strong, long-standing relationships with customers who know us for our powerful combination of leading product brands and applications expertise, backed by a legacy of innovation.

For more information on how Xylem can help you, go to www.xylem.com



Xylem, Inc.
2881 East Bayard Street Ext., Suite A
Seneca Falls, NY 13148
Phone: (866) 325-4210
Fax: (888) 322-5877
www.xylem.com/brands/gouldswatertechnology

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license.
© 2012 Xylem Inc. BGWP1&2 March 2009