

Parts List and Materials of Construction Standard Casing Working Pressure - 175 PSI @ 100° F					
Item No.	Part Name	Std. Bronze Fitted	Item No.	Part Name	Std. Bronze Fitted
1	Case	Cast Iron	71	Adapter, CI	Cast Iron
2	Impeller	Bronze	73	O-Ring, 6.984"ID, Buna	Buna
14	Sleeve	Bronze	80	Mechanical Seal	C/CE/B
25	Wear Ring (Optional)	316 Stainless Steel	81	Pipe Plug, .25", Brass	Brass
26	Impeller Screw, 302SS	302 Stainless Steel	82	Screw, SAE Grade 5	Steel
28	Impeller Washer, 302SS	302 Stainless Steel	83	Screw, SAE Grade 5	Steel
32	Key, 303SS	303 Stainless Steel	235	Vent Valve, .125", Steel	Steel
40	Deflector	Neoprene			

Mechanical Seal - JohnCrane Type 21, Material Code BF1C1				
Explanation of Material Code				
Elastomeric Parts	Rotating Face	Metal Parts	Stationary Seal	Spring
Buna	Carbon	Stainless Steel	Ceramic	Stainless Steel

Maximum Working Pressure 125 PSI

Maximum Temperature 250°F



WARNING:
CANCER AND REPRODUCTIVE HARM -
WWW.P65WARNINGS.CA.GOV

Repair Parts

1507CVe In-Line			
320 Series 125# Flange	Motor Frame Size		Quantity
	143-184JM	213-215JM	
1	Case, CI (Standard)	142180	1
	Case, CI (used with item 25)	142180-01	1
2	Impeller, Bronze	2916-51-B12	1
14	Sleeve, Bronze	133867-01	1
25	Wear Ring, 316SS (Optional)	A6470-J4	1
26	Impeller Screw, 302SS	Q60-2-J3	1
28	Impeller Washer, 302SS	A5090-J3	1
32	Key, 303SS	Q21-4-J8	1
40	Deflector, Neoprene	H1936-2-K2	1
71	Adapter, CI	134735-01	1
73	O-Ring, 6.984"ID, Buna	2-31003-262	1
80	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	1
81	Pipe Plug, .25", Brass	04236	3
82	Screw, SAE Grade 5	133845	8
83	Screw, SAE Grade 5	133845	4
235	Vent Valve, .125", Steel	625-01253	1

SECTION RP
PAGE 34
DATE 1/20



PUMPS & SYSTEMS

2007CVe In-Line			
320 Series 125# Flange	Motor Frame Size		Quantity
	143-184JM	213-215JM	
1	Case, CI (Standard)	142185	1
	Case, CI (used with item 25)	142185-01	1
2	Impeller, Bronze	135589-51-B12	1
14	Sleeve, Bronze	133867-01	1
25	Wear Ring, 316SS (Optional)	09915-D	1
26	Impeller Screw, 302SS	Q60-2-J3	1
28	Impeller Washer, 302SS	A5090-J3	1
32	Key, 303SS	Q21-4-J8	1
40	Deflector, Neoprene	H1936-2-K2	1
71	Adapter, CI	134735-01	1
73	O-Ring, 6.984"ID, Buna	2-31003-262	1
80	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	1
81	Pipe Plug, .25", Brass	04236	3
82	Screw, SAE Grade 5	133845	8
83	Screw, SAE Grade 5	133845	4
235	Vent Valve, .125", Steel	625-01253	1

Repair Parts

2507CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142187	142187	142187	142187	1
	Case, CI (used with item 25)	142187-01	142187-01	142187-01	142187-01	1
2	Impeller, Bronze	135577-51-B12	135577-51-B12	135577-50-B12	135577-50-B12	1
14	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
25	Wear Ring, 316SS (Optional)	A6808-J4	A6808-J4	A6808-J4	A6808-J4	1
26	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
28	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
32	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
40	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
71	Adapter, CI	134735-01	134800-01	134739-01	134844-01	1
73	O-Ring, 6.984"ID, Buna	2-31003-262	2-31003-262	2-31003-262	2-31003-262	1
80	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	
81	Pipe Plug, .25", Brass	04236	04236	04236	04236	3
82	Screw, SAE Grade 5	133845	133845	133845	133845	8
83	Screw, SAE Grade 5	133845	133763	133763	133729	4
235	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

SECTION RP
PAGE 36
DATE 1/20



PUMPS & SYSTEMS

3007CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142189	142189	142189	142189	1
2	Case, CI (used with item 25)	142189-01	142189-01	142189-01	142189-01	1
14	Impeller, Bronze	C3878-51-B12	C3878-51-B12	C3878-50-B12	C3878-50-B12	1
25	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
26	Wear Ring, 316SS (Optional)	A6808-J4	A6808-J4	A6808-J4	A6808-J4	1
28	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
32	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
40	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
71	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
73	Adapter, CI	134735-01	134800-01	134739-01	134844-01	1
80	O-Ring, 6.984"ID, Buna	2-31003-262	2-31003-262	2-31003-262	2-31003-262	1
81	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
82	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	3
83	Pipe Plug, .25", Brass	04236	04236	04236	04236	8
235	Screw, SAE Grade 5	133845	133845	133845	133845	4
	Screw, SAE Grade 5	133845	133763	133763	133729	1
	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

Repair Parts

4007CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142182	142182	142182	142182	1
	Case, CI (used with item 25)	142182-01	142182-01	142182-01	142182-01	1
2	Impeller, Bronze	B3885-51-B23	B3885-51-B23	B3885-50-B23	B3885-50-B23	1
14	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
25	Wear Ring, 316SS (Optional)	A6809-J4	A6809-J4	A6809-J4	A6809-J4	1
26	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
28	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
32	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
40	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
71	Adapter, CI	134735-01	134800-01	134739-01	134844-01	1
73	O-Ring, 6.984"ID, Buna	2-31003-262	2-31003-262	2-31003-262	2-31003-262	1
80	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	
81	Pipe Plug, .25", Brass	04236	04236	04236	04236	3
82	Screw, SAE Grade 5	133845	133845	133845	133845	8
83	Screw, SAE Grade 5	133845	133763	133763	133729	4
235	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

SECTION RP
PAGE 38
DATE 1/20



PUMPS & SYSTEMS

2095CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142186	142186	142186	142186	1
2	Case, CI (used with item 25)	142186-01	142186-01	142186-01	142186-01	1
14	Impeller, Bronze	C6390-51-B12	C6390-51-B12	C6390-50-B12	C6390-50-B12	1
25	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
26	Wear Ring, 316SS (Optional)	A6409-J4	A6409-J4	A6409-J4	A6409-J4	1
28	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
32	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
40	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
71	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
73	Adapter, CI	134209-01	134208-01	134210-01	134211-01	1
80	O-Ring, 9.47" ID, Buna	2-31003-448	2-31003-448	2-31003-448	2-31003-448	1
81	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
82	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	3
83	Pipe Plug, .25", Brass	04236	04236	04236	04236	8
235	Screw, SAE Grade 5	134145	134145	134145	134145	4
	Screw, SAE Grade 5	133845	133763	133763	133729	1
	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

Repair Parts

2595CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142188	142188	142188	142188	1
	Case, CI (used with item 25)	142188-01	142188-01	142188-01	142188-01	1
2	Impeller, Bronze	135014-51-B12	135014-51-B12	135014-50-B12	135014-50-B12	1
14	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
25	Wear Ring, 316SS (Optional)	A6808-J4	A6808-J4	A6808-J4	A6808-J4	1
26	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
28	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
32	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
40	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
71	Adapter, CI	134209-01	134208-01	134210-01	134211-01	1
73	O-Ring, 9.47" ID, Buna	2-31003-448	2-31003-448	2-31003-448	2-31003-448	1
80	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	
81	Pipe Plug, .25", Brass	04236	04236	04236	04236	3
82	Screw, SAE Grade 5	134145	134145	134145	134145	8
83	Screw, SAE Grade 5	133845	133763	133763	133729	4
235	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

SECTION RP
PAGE 40
DATE 1/20



PUMPS & SYSTEMS

3095CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard)	142181	142181	142181	142181	1
2	Case, CI (used with item 25)	142181-01	142181-01	142181-01	142181-01	1
14	Impeller, Bronze	B3912-51-B12	B3912-51-B12	B3912-50-B12	B3912-50-B12	1
25	Sleeve, Bronze	133867-01	133867-01	133597-01	133597-01	1
26	Wear Ring, 316SS (Optional)	A6808-J4	A6808-J4	A6808-J4	A6808-J4	1
28	Impeller Screw, 302SS	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
32	Impeller Washer, 302SS	A5090-J3	A5090-J3	A6680-J14	A6680-J14	1
40	Key, 303SS	Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1
71	Deflector, Neoprene	H1936-2-K2	H1936-2-K2	-	-	1
73	Adapter, CI	134209-01	134208-01	134210-01	134211-01	1
80	O-Ring, 9.47" ID, Buna	2-31003-448	2-31003-448	2-31003-448	2-31003-448	1
81	Seal, Mech, 1.25", C/CE/B	Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1
82	Seal, Mech, 1.75", C/CE/B	-	-	Q26-217-Y2-JC	Q26-217-Y2-JC	3
83	Pipe Plug, .25", Brass	04236	04236	04236	04236	8
235	Screw, SAE Grade 5	134145	134145	134145	134145	4
	Screw, SAE Grade 5	133845	133763	133763	133729	1
	Vent Valve, .125", Steel	625-01253	625-01253	625-01253	625-01253	1

Repair Parts

4095CVe In-Line						
320 Series 125# Flange	Motor Frame Size					
	143-184JM	213-215JM	254-256JM	284-326JM	Quantity	
1	Case, CI (Standard) 142183	142183	142183	142183	1	1
	Case, CI (used with item 25) 142183-01	142183-01	142183-01	142183-01	1	1
2	Impeller, Bronze B3983-51-B12	B3983-51-B12	B3983-50-B12	B3983-50-B12	1	1
14	Sleeve, Bronze 133867-01	133867-01	133597-01	133597-01	1	1
25	Wear Ring, 316SS (Optional) A6623-J4	A6623-J4	A6623-J4	A6623-J4	1	1
26	Impeller Screw, 302SS Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1	1
28	Impeller Washer, 302SS A5090-J3	A5090-J3	A6680-J14	A6680-J14	1	1
32	Key, 303SS Q21-4-J8	Q21-4-J8	Q21-5-J8	Q21-5-J8	1	1
40	Deflector, Neoprene H1936-2-K2	H1936-2-K2	-	-	1	1
71	Adapter, CI 134209-01	134208-01	134150-01	134151-01	1	1
73	O-Ring, 9.47" ID, Buna 2-31003-448	2-31003-448	2-31003-448	2-31003-448	1	1
80	Seal, Mech, 1.25", C/CE/B Q26-395-Y2-JC	Q26-395-Y2-JC	-	-	1	1
	Seal, Mech, 1.75", C/CE/B -	-	Q26-217-Y2-JC	Q26-217-Y2-JC		
81	Pipe Plug, .25", Brass 04236	04236	04236	04236	3	3
82	Screw, SAE Grade 5 134145	134145	134145	134145	8	8
83	Screw, SAE Grade 5 133845	133763	133763	133729	4	4
235	Vent Valve, .125", Steel 625-01253	625-01253	625-01253	625-01253	1	1

SECTION RP
PAGE 42
DATE 1/20




PUMPS & SYSTEMS

6012CVe In-Line			
320 Series 125# Flange	Motor Frame Size		Quantity
	254-256JM	284-326JM	
1	Case, CI (Standard)	142184	1
2	Case, CI (used with item 25)	142184-01	1
14	Impeller, Bronze	135015-50-B12	1
25	Sleeve, Bronze	133597-01	1
26	Wear Ring, 316SS (Optional)	136172	1
28	Impeller Screw, 302SS	Q60-3-J3	1
32	Impeller Washer, 302SS	A6680-J14	1
40	Key, 303SS	Q21-5-J8	1
71	Deflector, Neoprene	-	1
73	Adapter, CI	136126-01	1
80	O-Ring, 13.00" ID, Buna	M-5691	1
81	Seal, Mech, 1.75", C/CE/B	Q26-217-Y2-JC	1
82	Pipe Plug, .25", Brass	04236	3
83	Screw, SAE Grade 5	133729	8
235	Screw, SAE Grade 5	133763	4
	Vent Valve, .125", Steel	625-01253	1

Repair Parts

This page intentionally left blank



WARNING:
CANCER AND REPRODUCTIVE HARM -
WWW.P65WARNINGS.CA.GOV

Item No.	Name of Part	Std. Bronze Fitted	All Bronze	All Iron
1	Casing	Cast Iron	Bronze	Cast Iron
2	Impeller	Bronze	Bronze	Cast Iron
6	Motor Shaft	Steel	Steel	Steel
11	Casing Cover	Cast Iron	Bronze	Cast Iron
14	Shaft Sleeve	Bronze	Bronze	Stainless Steel
25	Casing Wear Ring	Bronze	Bronze	Steel
26	Impeller Screw	Stainless Steel	Stainless Steel	Stainless Steel
27	Casing Cover Ring	Bronze	Bronze	Steel
28	Impeller Washer	Stainless Steel	Stainless Steel	Stainless Steel
32	Impeller Key	Stainless Steel	Stainless Steel	Stainless Steel
73	Casing Gasket	Cellulose Fiber	Cellulose Fiber	Cellulose Fiber
80	Mechanical Seal	See Below	See Below	See Below
81	Plugs	Steel	Bronze	Steel
82	Hex Nut	Steel	Bronze	Steel
83	Cap Screw	Steel	Bronze	Steel

Mechanical Seal - J Crane Type 21 Mat Code XP-171				
Explanation of Material Code				
Elastic Parts	Rotating Face	Metal Parts	Stationary Seat	Spring
Viton	Carbon	Stainless Steel	Ni-Resist	Stainless Steel

Maximum Working Pressure 125 PSI

Maximum Temperature 250°F

DISCONTINUED

Repair Parts

DISCONTINUED

1507CV In-Line

Quantity	320 Series 125# Flange	Motor Frame Size		
		56J	143JM - 184JM	213JM - 215JM
1	Casing (Iron)	D9011-A2	D9011-A2	D9011-A2
2	Impeller (BRZ)	B5833-4-B12	B5833-5-B12	B5833-5-B12
6	Motor Shaft	B8483	B8484	B8500
11	Casing Cover (Iron)	C5826-2-A2	C8486-A2	C8486-10-A2
14	Shaft Sleeve (BRZ)	-	A5782-C9	A5782-C9
25	Casing Wear Ring (BRZ)	A5453-C9	A5453-C9	A5453-C9
26	Impeller Screw (302 SS)	Q16-44-J8	Q60-2-J3	Q60-2-J3
28	Impeller Washer(302 SS)	-	A5090-J3	A5090-J3
32	Impeller Key (303 SS)	-	Q21-17-J8	Q21-17-J8
73	Case Gasket (Cellulose)	A6345-L13	A6345-L13	A6345-L13
80	Mechanical Seal	Q26-77-Y6	Q26-395-Y6	Q26-395-Y6
81	Plugs (SAE Grade 5)	04236	04236	04236
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26
83	Cap Screw (SAE Grade 5)	-	Q15-2-E26	Q15-19-E26
83	Stud (SAE Grade 5)	Q17-4-E26	-	-
83	Hex Nut (Steel)	Q18-19-E4	-	-
N.S.	Pipe Coupling (Steel)	Q29-68-E4	-	-
N.S.	Nipple (Steel)	Q29-103-E4	-	-
N.S.	Deflector (Neoprene)	-	H1936-2-K2	H1936-2-K2
N.S.	Air Vent Valve (Brass)	-	Q24-3-C2	Q24-3-C2

2007CV In-Line				
320 Series 125# Flange	Motor Frame Size			
	56J	143JM - 184JM	213JM - 215JM	Quantity
1	Casing (Iron)	D9000-A2	D9000-A2	1
2	Impeller (BRZ)	B5839-6-B12	B5839-5-B12	1
6	Motor Shaft	B8483	B8500	1
11	Casing Cover (Iron)	C5826-2-A2	C8486-10-A2	1
14	Shaft Sleeve (BRZ)	-	A5782-C9	1
25	Casing Wear Ring (BRZ)	A5226-C9	A5226-C9	1
26	Impeller Screw (303 SS)	Q16-44-J8	-	1
	Impeller Screw (302 SS)	-	Q60-2-J3	1
28	Impeller Washer (302 SS)	-	A5090-J3	1
32	Impeller Key (303 SS)	-	Q21-17-J8	1
73	Case Gasket (Cellulose)	A6345-L13	A6345-L13	1
80	Mechanical Seal	Q26-77-Y6	Q26-395-Y6	1
81	Plugs	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	6
83	Cap Screw (SAE Grade 5)	-	Q15-2-E26	4
83	Stud (SAE Grade 5)	Q17-4-E26	-	4
83	Hex Nut (Steel)	Q18-41-E4	-	4
N.S.	Pipe Coupling (Steel)	Q29-68-E4	-	1
N.S.	Nipple (Steel)	Q29-103-E4	-	1
N.S.	Deflector (Neoprene)	-	H1936-2-K2	1
N.S.	Air Vent Valve (Brass)	-	Q24-3-C2	1

DISCONTINUED

Repair Parts

DISCONTINUED

2507CV In-Line

320 Series 125# Flange	Motor Frame Size			Quantity
	143JM - 184JM	213JM - 215JM	254JM - 256JM	
1 Casing (Iron)	D9021-A2	D9021-A2	D9021-A2	1
2 Impeller (BRZ)	C3870-11-B12	C3870-11-B12	C3870-21-B12	1
6 Motor Shaft	B8484	B8500	B8710	1
11 Casing Cover (Iron)	C8486-A2	C8486-10-A2	C9016-A2	1
14 Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	1
25 Casing Wear Ring (BRZ)	A6409-C9	A6409-C9	A6409-C9	1
26 Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	1
28 Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-10-J3	1
32 Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-15-J8	1
73 Case Gasket (Cellulose)	A6345-L13	A6345-L13	A6345-L13	1
80 Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	1
81 Plugs	04236	04236	04236	3
82 Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26	6
83 Cap Screw (SAE Grade 5)	Q15-2-E26	Q15-19-E26	Q15-19-E26	4
N.S. Deflector (Neoprene)	H1936-2-K2	H1936-2-K2	-	1
N.S. Bushing (Steel)	-	-	Q29-52-E4	1
N.S. Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	1

3007CV In-Line						
320 Series 125# Flange	Motor Frame Size					
	143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM	Quantity	
1	Casing (Iron)	D9015-A2	D9015-A2	D9015-A2	D9015-A2	1
2	Impeller (BRZ)	B3878-12-B12	B3878-12-B12	B3878-22-B12	B3878-22-B12	1
6	Motor Shaft	B8484	B8500	B8710	B8773	1
11	Casing Cover (Iron)	C8486-A2	C8486-10-A2	C9016-A2	C9017-A2	1
14	Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	1
25	Casing Wear Ring (BRZ)	A6808-C9	A6808-C9	A6808-C9	A6808-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
27	Casing Cover Ring (BRZ)	-	-	A6809-C9	A6809-C9	1
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	1
32	Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	1
73	Case Gasket (Cellulose)	A6345-L13	A6345-L13	A6345-L13	A6345-L13	1
80	Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	1
81	Plugs	04236	04236	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26	Q15-5-E26	6
83	Cap Screw (SAE Grade 5)	Q15-2-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	4
N.S.	Pipe Coupling (steel)	-	-	-	Q29-68-E4	1
N.S.	Nipple (Steel)	-	-	-	Q29-69-E4	1
N.S.	Deflector (Neoprene)	H1936-2-K2	H1936-2-K2	-	-	1
N.S.	Bushing (Steel)	-	-	Q29-52-E4	-	1
N.S.	Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1

DISCONTINUED

Repair Parts

320 Series 125# Flange		4007CV In-Line						Quantity
		Motor Frame Size						
		143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM			
1	Casing (Iron)	D9022-A2	D9022-A2	D9022-A2	D9022-A2	D9022-A2	1	
2	Impeller (BRZ)	B3885-13-B12	B3885-13-B12	B3885-12-B12	B3885-12-B12	B3885-12-B12	1	
6	Motor Shaft	B8484	B8500	B8710	B8773	B8773	1	
11	Casing Cover (Iron)	C8486-A2	C8486-10-A2	C9016-A2	C9017-A2	C9017-A2	1	
14	Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	A9005-C9	1	
25	Casing Wear Ring (BRZ)	A6809-C9	A6809-C9	A6809-C9	A6809-C9	A6809-C9	1	
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	Q60-3-J3	1	
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	A6680-J3	1	
32	Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	Q21-5-J8	1	
73	Case Gasket (Cellulose)	A6345-L13	A6345-L13	A6345-L13	A6345-L13	A6345-L13	1	
80	Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	Q26-373-Y6	1	
81	Plugs	04236	04236	04236	04236	04236	3	
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26	Q15-5-E26	Q15-5-E26	6	
83	Cap Screw (SAE Grade 5)	Q15-2-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	Q15-4-E26	4	
N.S.	Pipe Coupling (Steel)	-	-	Q29-68-E4	Q29-68-E4	Q29-68-E4	1	
N.S.	Nipple (Steel)	-	-	Q29-69-E4	Q29-69-E4	Q29-69-E4	1	
N.S.	Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1	
N.S.	Deflector (Neoprene)	H1936-2-K2	-	-	-	-	1	
N.S.	Bushing (Steel)	-	-	Q29-52-E4	Q29-52-E4	Q29-52-E4	1	

DISCONTINUED

2095CV In-Line						
320 Series 125# Flange	Motor Frame Size					
	143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM	Quantity	
1	Casing (Iron)	D9001-A2	D9001-A2	D9001-A2	D9001-A2	1
2	Impeller (BRZ)	C6390-B12	C6390-B12	C6390-11-B12	C6390-11-B12	1
6	Motor Shaft	B8484	B8500	B8710	B8773	1
11	Casing Cover (Iron)	C9002-A2	C9002-A2	C9003-A2	C9004-A2	1
14	Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	1
25	Casing Wear Ring (BRZ)	A6409-C9	A6409-C9	A6409-C9	A6409-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	1
32	Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	1
73	Case Gasket (Cellulose)	A9008-L13	A9008-L13	A9008-L13	A9008-L13	1
80	Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	1
81	Plugs	04236	04236	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	Q15-19-E26	Q15-19-E26	8
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	4
N.S.	Pipe Coupling (Steel)	-	-	-	Q29-68-E4	1
N.S.	Nipple (Steel)	-	-	-	Q29-69-E4	1
N.S.	Seal Sleeve (BRZ)	A9010-C9	A9010-C9	A9009-C9	A9009-C9	1
N.S.	Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1

DISCONTINUED

Repair Parts

DISCONTINUED

2595CV In-Line

320 Series 125# Flange	Motor Frame Size				Quantity
	143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM	
1 Casing (Iron)	D9012-A2	D9012-A2	D9012-12-1-A2	D9012-12-1-A2	1
2 Impeller (BRZ)	3734-1-B12	3734-1-B12	B9013-10-B12	B9013-10-B12	1
6 Motor Shaft	B8484	B8500	B8710	B8773	1
11 Casing Cover (Iron)	C9002-A2	C9002-A2	C9003-A2	C9004-A2	1
14 Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	1
25 Casing Wear Ring (BRZ)	A6430-C9	A6430-C9	A6430-C9	A6430-C9	1
26 Impeller Screw (302 SS)	A60-2-J3	A60-2-J3	A60-3-J3	A60-3-J3	1
28 Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	1
32 Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	1
73 Case Gasket (Cellulose)	A9008-L13	A9008-L13	A9008-L13	A9008-L13	1
80 Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	1
81 Plugs	04236	04236	04236	04236	3
82 Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	Q15-19-E26	Q15-19-E26	8
83 Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	4
N.S. Pipe Coupling (Steel)	-	-	Q29-68-E4	Q29-68-E4	1
N.S. Nipple (Steel)	-	-	Q29-69-E4	Q29-69-E4	1
N.S. Deflector (Neoprene)	-	-	H1936-2-K2	-	-
N.S. Seal Sleeve (BRZ)	A9010-C9	A9010-C9	A9009-C9	A9009-C9	1
N.S. Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1

320 Series 125# Flange		3095CV In-Line					Quantity
		Motor Frame Size					
		143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM		
1	Casing (Iron)	D9014-A2	D9014-A2	D9014-A2	D9014-A2	1	
2	Impeller (BRZ)	2946-1-B12	2946-1-B12	B3912-12-B12	B3912-12-B12	1	
6	Motor Shaft	B8484	B8500	B8710	B8773	1	
11	Casing Cover (Iron)	C9002-A2	C9002-A2	C9003-A2	C9004-A2	1	
14	Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	1	
25	Casing Wear Ring (BRZ)	A9018-C9	A9018-C9	A9018-C9	A9019-C9	1	
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1	
27	Casing Cover Ring (BRZ)	-	-	-	A6953-C9		
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	1	
32	Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	1	
73	Case Gasket (Cellulose)	A9008-L13	A9008-L13	A9008-L13	A9008-L13	1	
80	Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	1	
81	Plugs	04236	04236	04236	04236	3	
82	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	Q15-19-E26	Q15-19-E26	8	
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	4	
N.S.	Pipe Coupling (Steel)	-	-	-	Q29-68-E4	1	
N.S.	Nipple (Steel)	-	-	-	Q29-69-E4	1	
N.S.	Deflector (Neoprene)	-	H1936-2-K2	-	-		
N.S.	Seal Sleeve (BRZ)	A9010-C9	A9010-C9	A9009-C9	A9009-C9	1	
N.S.	Bushing (Steel)	-	-	Q29-52-E4	Q29-52-E4		
N.S.	Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1	

DISCONTINUED

Repair Parts

DISCONTINUED

4095CV In-Line

320 Series 125# Flange	Motor Frame Size				Quantity
	143JM - 184JM	213JM - 215JM	254JM - 256JM	284JM - 326JM	
1 Casing (Iron)	D9023-A2	D9023-A2	D9023-A2	D9023-A2	1
2 Impeller (BRZ)	B3983-5-B12	B3983-5-B12	B3983-12-B12	D9024-B12	1
6 Motor Shaft	B8484	B8500	B8710	B8773	1
11 Casing Cover (Iron)	C9002-A2	C9002-A2	C9003-A2	C9004-A2	1
14 Shaft Sleeve (BRZ)	A5782-C9	A5782-C9	A9005-C9	A9005-C9	1
25 Casing Wear Ring (BRZ)	A6623-C9	A6623-C9	A6623-C9	A9025-C9	1
26 Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	Q60-3-J3	1
27 Casing Cover Ring (BRZ)	-	-	A6953-C9	A6953-C9	
28 Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3	A6680-J3	1
32 Impeller Key (303 SS)	Q21-17-J8	Q21-17-J8	Q21-5-J8	Q21-5-J8	1
73 Case Gasket (Cellulose)	A9008-L13	A9008-L13	A9008-L13	A9008-L13	1
80 Mechanical Seal	Q26-395-Y6	Q26-395-Y6	Q26-373-Y6	Q26-373-Y6	1
81 Plugs	04236	04236	04236	04236	3
82 Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	Q15-19-E26	Q15-19-E26	8
83 Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26	Q15-19-E26	Q15-4-E26	4
N.S. Pipe Coupling (Steel)	-	-	Q29-68-E4	Q29-68-E4	1
N.S. Nipple (Steel)	-	-	Q29-69-E4	Q29-69-E4	1
N.S. Seal Sleeve (BRZ)	A9026-C9	A9026-C9	A9009-C9	A9009-C9	1
N.S. Air Vent Valve (Brass)	Q24-3-C2	Q24-3-C2	Q24-3-C2	Q24-3-C2	1

1507CV In-Line				
320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size			Quantity
	56J	143JM - 184JM	213JM - 215JM	
1	Casing (Iron) Casing (DI)	D9011-10-A2 D9011-10-A12	D9011-100A2 D9011-10-A12	1
2	Impeller (BRZ)	B5833-6-B12	D5833-9-B12	1
6	Motor Shaft	B8483	B8500	1
11	Casing Cover (Iron) Casing Cover (DI)	C5826-4-A2 C5826-4-A12	C8486-3-A2 C8486-3-A12	1
14	Shaft Sleeve (BRZ)	B8820-C9	A7355-4-C9	1
25	Casing Wear Ring (BRZ)	A5453-C9	A5453-C9	1
26	Impeller Screw (303 SS)	Q16-44-J8	Q60-2-J3	1
28	Impeller Washer (302 SS)	-	A5090-J3	1
32	Impeller Key (303 SS)	-	A7356-J8	1
73	Case Gasket (Cellulose)	A7444-L13	A7444-L13	1
80	STD. Bal. Mechanical Seal	Q26-409-Y6	Q26-415-Y47	1
81	Plugs	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	12
83	Stud (SAE Grade 5)	Q17-4-E26	Q17-4-E26	4
83	Hex Nut (Steel)	Q18-19-E4	Q18-19-E4	4
N.S.	Pipe Coupling (Cellulose)	A8821-L13	-	1
N.S.	Nipple (Steel)	Q29-68-E4	-	1
N.S.	Seal Sleeve (Steel)	Q29-69-E4	-	1
N.S.	Air Vent Valve (Rubber)	-	Q41-39-K9	1
Cap Screws for Ductile Iron = Grade 8				
Cap Screws for Cast Iron = Grade 5				

DISCONTINUED

Repair Parts

DISCONTINUED

2007CV In-Line

Quantity	320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size		
		56J	143JM - 184JM	213JM - 215JM
1	Casing (Iron)	D9000-10-A2	D9000-10-A2	D9000-10-A2
	Casing (DI)	D9000-10-A12	D9000-10-A12	D9000-10-A12
2	Impeller (BRZ)	B5839-7-B12	B5839-8-B12	B5839-8-B12
6	Motor Shaft	B8483	B8484-A2	B8500
11	Casing Cover (Iron)	C5826-4-A2	C8486-3-A12	C8486-10-1-A2
	Casing Cover (DI)	C5826-4-A12	C8486-3	C8486-10-1-A12
14	Shaft Sleeve (BRZ)	-	A7355-4-C9	A7355-4-C9
25	Casing Wear Ring (BRZ)	A5226-C9	A5226-C9	A5226-C9
26	Impeller Screw (303 SS)	Q16-44-J8	Q60-2-J3	Q60-2-J3
28	Impeller Washer (302 SS)	-	A5090-J3	A5090-J3
32	Impeller Key (303 SS)	-	A7356-J8	A7356-J8
73	Case Gasket (Cellulose)	A7444-L13	A7444-L13	A7444-L13
80	STD. Bal. Mechanical Seal	Q26-409-Y6	Q26-415-Y47	Q26-415-Y47
81	Plugs	04236	04236	04236
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-2-E26	Q15-19-E26
N.S.	Pipe Coupling (Steel)	Q29-68-E4	-	-
N.S.	Nipple (Steel)	Q29-69-E4	-	-
N.S.	Shaft Sleeve O-Ring (Rubber)	-	Q41-39-K9	Q41-39-K9

Cap Screws for Ductile Iron = Grade 8
 Cap Screws for Cast Iron = Grade 5

2507CV In-Line			
320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size		Quantity
	143JM - 184JM	213JM - 215JM	
1	Casing (Iron) Casing (DI)	D9021-10-A2 D9021-10-A12	1
2	Impeller (BRZ)	C3870-13-B12	1
6	Motor Shaft	B8484	1
11	Casing Cover (Iron) Casing Cover (DI)	C8486-3-A2 C8486-3-A12	1
14	Shaft Sleeve (BRZ)	A7355-4-C9	1
25	Casing Wear Ring (BRZ)	A6409-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	1
28	Impeller Washer (302 SS)	A5090-J3	1
32	Impeller Key (303 SS)	A7356-J8	1
73	Case Gasket (Cellulose)	A7444-L13	1
80	STD. Bal. Mechanical Seal	Q26-415-Y47	1
81	Plugs	04236	3
82	Cap Screw (SAE Grade 5)	Q15-5-E26	12
83	Cap Screw (SAE Grade 5)	Q15-2-E26	4
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-39-K9	1

Cap Screws for Ductile Iron = Grade 8
Cap Screws for Cast Iron = Grade 5

DISCONTINUED

Repair Parts

DISCONTINUED

3007CV In-Line

Quantity	320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size		
		143JM - 184JM	213JM - 215JM	254JM - 256JM
1	Casing (Iron)	D9015-10-A2	D9015-10-A2	D9015-10-A2
	Casing (DI)	D9015-10-A12	D9015-10-A12	D9015-10-A12
2	Impeller (BRZ)	B3878-13-B12	B3878-13-B12	B3878-23-B12
6	Motor Shaft	B8484	B8500	B8710
11	Casing Cover (Iron)	C8486-3-A2	C8486-10-1-A2	C9016-1-A2
	Casing Cover (DI)	C8486-3-A12	C8486-10-1-A12	C9016-1-A12
14	Shaft Sleeve (BRZ)	A7355-4-C9	A7355-4-C9	A9007-4-C9
25	Casing Wear Ring (BRZ)	A6808-C9	A6808-C9	A6808-C9
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3
27	Casing Cover Ring (BRZ)	-	-	A6809-C9
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	A6680-J3
32	Impeller Key (303 SS)	A7356-J8	A7356-J8	A7356-3-J8
73	Case Gasket (Cellulose)	A7444-L13	A7444-L13	A7444-L13
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-415-Y47	Q26-416-Y47
81	Plugs	04236	04236	04236
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-5-E26
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E26	Q15-19-E26
N.S.	Pipe Coupling (Steel)	-	-	Q29-68-E4
N.S.	Nipple (Steel)	-	-	Q29-69-E4
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-39-K9	Q41-39-K9	Q41-31-K9

Cap Screws for Ductile Iron = Grade 8

Cap Screws for Cast Iron = Grade 5

4007CV In-Line				
320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size			Quantity
	143JM - 184JM	213JM - 215JM	254JM - 256JM	
1	Casing (Iron) Casing (DI)	D9022-10-A2 D9022-10-A12	D9022-10-A2 D9022-10-A12	1
2	Impeller (BRZ)	B3885-14-B12	B3885-15-B12	1
6	Motor Shaft	B8484	B8710	1
11	Casing Cover (Iron) Casing Cover (DI)	C8486-3-A2 C8486-3-A12	C9016-1-A2 C9016-1-A12	1
14	Shaft Sleeve (BRZ)	A7355-4-C9	A9007-4-C9	1
25	Casing Wear Ring (BRZ)	A6809-C9	A6809-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-3-J3	1
28	Impeller Washer (302 SS)	A5090-J3		1
32	Impeller Key (303 SS)	A7356-J8	A7356-3-J8	1
73	Case Gasket (Cellulose)	A7444-L13	A7444-L13	1
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-416-Y47	1
81	Plugs	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-5-E27	12
83	Cap Screw (SAE Grade 5)	Q15-2-E26	Q15-19-E26	4
N.S.	Pipe Coupling (Steel)	-	Q29-68-E4	1
N.S.	Nipple (Steel)	-	Q29-69-E4	1
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-39-K9	Q41-39-K9	1
Cap Screws for Ductile Iron = Grade 8				
Cap Screws for Cast Iron = Grade 5				

DISCONTINUED

Repair Parts

DISCONTINUED

2095CV In-Line

	320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size			Quantity
		143JM - 184JM	213JM - 215JM	254JM - 256JM	
1	Casing (Iron)	D9001-10-A2	D9001-10-A2	D9001-10-A2	1
	Casing (DI)	D9001-10-A12	D9001-10-A12	D9001-10-A12	
2	Impeller (BRZ)	C6390-B12	C6390-B12	C6390-11-B12	1
6	Motor Shaft	B8484	B8500	B8710	1
11	Casing Cover (Iron)	C9002-1-A2	C9002-1-A2	C9003-1-A2	1
	Casing Cover (DI)	C9002-1-A12	C9002-1-A12	C9003-1-A12	
14	Shaft Sleeve (BRZ)	A7355-3-C9	A7355-3-C9		1
25	Casing Wear Ring (BRZ)	A6409-C9	A6409-C9	A6409-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3	Q60-3-J3	1
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3		1
32	Impeller Key (303 SS)	A7356-J8	A7356-J8	A7356-2-J8	1
73	Case Gasket (Cellulose)	A7771-1-L13	A7771-1-L13	A7771-1-L13	1
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-415-Y47	Q26-415-Y47	1
81	Plugs	04236	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	Q15-19-E26	16
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26	Q15-19-E26	4
N.S.	Pipe Coupling (Steel)	-	-	Q29-68-E4	1
N.S.	Nipple (steel)	-	-	Q29-69-E4	1
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-32-K9	Q41-32-K9	Q41-31-K9	1

Cap Screws for Ductile Iron = Grade 8
 Cap Screws for Cast Iron = Grade 5

2595CV In-Line				
320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size			Quantity
	143JM - 184JM	213JM - 215JM	254JM - 256JM	
1	Casing (Iron) Casing (DI)	D9012-11-A2 D9012-11-A12	D9012-11-A2 D9012-11-A12	1
2	Impeller (BRZ)	3734-1-B12	SEE BELOW	1
2	Impeller 1750RPM (BRZ)	-	3734-1-B12	-
2	Impeller 3500RPM (BRZ)	-	C9013-B12	-
6	Motor Shaft	B8484	B8500	1
11	Casing Cover (Iron) Casing Cover (DI)	C9002-1-A2 C9002-1-A12	C9002-1-A2 C9003-1-A12	1
14	Shaft Sleeve (BRZ)	A7355-3-C9	A9007-5-C9	1
25	Casing Wear Ring (BRZ)	A6430-C9	A6430-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-3-J3	1
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3	1
32	Impeller Key (303 SS)	A7356-J8	A7356-2-J8	1
73	Case Gasket (Cellulose)	A7771-1-L13	A7771-1-L13	1
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-416-Y47	1
81	Plugs	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-9-E26	Q15-19-E27	16
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E27	4
N.S.	Pipe Coupling (Steel)	-	Q29-68-E4	1
N.S.	Nipple (Steel)	-	Q29-69-E4	1
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-32-K9	Q41-32-K9	1

Cap Screws for Ductile Iron = Grade 8
Cap Screws for Cast Iron = Grade 5

DISCONTINUED

Repair Parts

DISCONTINUED

3095CV In-Line

Quantity	320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size	
		143JM - 184JM	213JM - 215JM
1	Casing (Iron)	D9014-10-A2	D9014-10-A2
	Casing (DI)	D9014-10-A12	D9014-10-A12
2	Impeller (BRZ)	2946-1-B12	2946-1-B12
6	Motor Shaft	B8484	B8500
11	Casing Cover (Iron)	C9002-1-A2	C9002-1-A2
	Casing Cover (DI)	C9002-1-A12	C9002-1-A12
14	Shaft Sleeve (BRZ)	A7355-3-C9	A7355-3-C9
25	Casing Wear Ring (BRZ)	A9018-C9	A9018-C9
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-2-J3
28	Impeller Washer (302 SS)	A5090-J3	A5090-J3
32	Impeller Key (303 SS)	A7356-J8	A7356-J8
73	Case Gasket (Cellulose)	A7771-1-L13	A7771-1-L13
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-415-Y47
81	Plugs	04236	04236
82	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26
83	Cap Screw (SAE Grade 5)	Q15-5-E26	Q15-19-E26
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-32-K9	Q41-32-K9

Cap Screws for Ductile Iron = Grade 8
 Cap Screws for Cast Iron = Grade 5

4095CV In-Line				
320 Series 250# Flange (Cast Iron / Ductile Iron)	Motor Frame Size			Quantity
	213JM - 215JM	254JM - 256JM	284JM - 326JM	
1	Casing (Iron) Casing (DI)	D9023-10-A2 D9023-10-A12	D9023-10-A2 D9023-10-A12	1
2	Impeller (BRZ)	B3983-5-B12	D9024-B12	1
6	Motor Shaft	B8500	B8773	1
11	Casing Cover (Iron) Casing Cover (DI)	C9002-1-A2 C9002-1-A12	C9004-1-A2 C9004-1-A12	1
14	Shaft Sleeve (BRZ)	A7355-3-C9	A9007-5-C9	1
25	Casing Wear Ring (BRZ)	A6623-C9	A9025-C9	1
26	Impeller Screw (302 SS)	Q60-2-J3	Q60-3-J3	1
		-	A6953-C9	1
28	Impeller Washer (302 SS)	A5090-J3	A6680-J3	1
32	Impeller Key (303 SS)	A7356-J8	A7356-2-J8	1
73	Case Gasket (Cellulose)	A7771-1-L13	A7771-1-L13	1
80	STD. Bal. Mechanical Seal	Q26-415-Y47	Q26-416-Y47	1
81	Plugs	04236	04236	3
82	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-19-E26	16
83	Cap Screw (SAE Grade 5)	Q15-19-E26	Q15-4-E26	4
N.S.	Pipe Coupling (Steel)	-	Q29-68-E4	1
N.S.	Nipple (Steel)	-	Q29-69-E4	1
N.S.	Shaft Sleeve O-Ring (Rubber)	Q41-32-K9	Q41-31-K9	1

Cap Screws for Ductile Iron = Grade 8
 Cap Screws for Cast Iron = Grade 5

DISCONTINUED

Repair Parts

320 Series 125# Flange (Cast Iron)		6012CV In-Line						Quantity
		56J	143JM-184JM	213JM-215JM	254JM-256JM	284JM-326JM		
1	Casing (CI)	N/A	N/A	N/A	0118033	0118033	1	
2	Impeller (BRZ)	N/A	N/A	N/A	0067456	0067456	1	
6	Motor Shaft	N/A	N/A	N/A	N/A	N/A		
11	Casing Cover (CI)	N/A	N/A	N/A	0118083	0118083	1	
14	Shaft Sleeve	N/A	N/A	N/A	0118275	0118275	1	
25	Casing Wear Ring	N/A	N/A	N/A	0008190	0008190	1	
26	Impeller Screw	N/A	N/A	N/A	0053315	0053315	1	
27	Casing Cover Ring	N/A	N/A	N/A	0068172	0068172	1	
28	Impeller Washer	N/A	N/A	N/A	0068347	0068347	1	
32	Impeller Key	N/A	N/A	N/A	0068337	0068337	1	
73	Case Gasket	N/A	N/A	N/A	0088149	0088149	1	
80	STD. Bal. Mechanical Seal	N/A	N/A	N/A	0118330	0118330	1	
81	Plugs	N/A	N/A	N/A	0006224	0006224	1	
82	Cap Screw	N/A	N/A	N/A	0000431	0000431	8	
83	Cap Screw	N/A	N/A	N/A	0000431	0000431	4	
N.S.	Shaft Sleeve O-Ring	N/A	N/A	N/A	-	-		
N.S.	Nipple	N/A	N/A	N/A	-	-		
N.S.	Shaft Sleeve O-Ring	N/A	N/A	N/A	-	-		

Cap Screws for Cast Iron = Grade 5